# This Page Is Inserted by IFW Operations and is not a part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

### WORLD INTELLECTUAL PROPERTY ORGANIZATION



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: C12Q 1/42, A61K 38/46, 48/00

(11) International Publication Number: A1

WO 00/65085

(21) International Application Number:

(43) International Publication Date:

2 November 2000 (02.11.00)

PCT/EP00:03613

(22) International Filing Date:

20 April 2000 (20.04.00)

(30) Priority Data:

99108074.8

23 April 1999 (23,04,99)

EP

(71) Applicant (for all designated States except US): MAX-PLANCK-GESELLSCHAFT ZUR FORDERUNG DER WISSENSCHAFTEN E.V. [DE/DE], Hofgaremair 8. D-80539 Munchen (DE).

(71) Applicant (for US only): RISAU, Barbara (herress of the deceased inventor) [DE'DE], Dresdner Str. 2, D-35510 Butzbach (DE)

(72) Inventor: RISAU, Werner (deceased).

(72) Inventors; and

(75) Inventors/Applicants (for US only): FACHINGER, Gregor (DEDE). Emdener Str. 21, D-10551 Berlin (DE). DELTSCH, Urban [DE'DE], Ernst-Ludwig-Ring 23. D-61231 Bad Nauheim (DE).

1741 Agents: WEICKMANN, H et al., Kopemikusstrasse 9. D-61679 Munchen (DE).

(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB BG. BR. BY. CA. CH. CN. CR. CU. CZ. DE. DK. DM. DZ. EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LL, LV. MA. MD. MG. MK. MN. MW. MX. NO. NZ. PL. PT. RO. RU. SD. SE. SG. SI. SK. SL. TJ. TM. TR. TT. TZ. UA. UG. US. UZ. VN. YU. ZA. ZW. ARIPO patent (GII GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT. BE, CH, CY, DE, DK, ES, FJ, FR, GB, GR. IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG. CI. CM. GA. GN. GW. ML. MR. NE. SN. TD. TG)


#### **Published**


With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendmenss.

154) TILE: INTERACTION OF VASCULAR-ENDOTHILLIAL PROTEIN-TYROSINE PHOSPHATASE WITH THE ANGIOPOIETIN

#### 157: Abstract

Live of venetrate varcular-endothelial protein syrosine promonatases (i.e. murine phosphatase VE-PTP or human principalities HPTP3) or portions thereof for the manufacture of an agent for monitoring or 3 modulating the activity of the and upuretion reversor-type tyroxine kinase Tie-2.





## FOR THE PURPOSES OF INFORMATION ONLY

Cuses used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

L	****	<u> </u>	Spam	Ľ	Leave	SI	Storgeon
-	-	n	Ferend	LT	Lebushi	SK	Stoveto
•	Ame	7	France	u	Lavorance	SN SN	
	America	G4	Gotom	L	Lare		Scregal
7	Author gan	CB	Local Kageen	MC	Mence	22	Swathland
•	present that principles are	GE	Compu	MU	Republic of Mohious	TD	. Cheel
•	betake	CH	Chan	MG	Medegascar	TC	Tege
	bry-an	G~	Guerra	44		TJ	Tayet estate
	botos fair	CR	Concr		The toronge Yegopter	TM	Turkmenuse
•	Bogara	HT.	Hungary	ML	Republic of Marriages	778	Turkey
	brea	18	briend	M's	Malı	11	Triended and Tobago
•	<b></b>	IL.	Interi	ME	Mangain	<b>LIA</b>	Utrome
,		15	tread	44	Мартиали	UC	Uganda
,	( male	IT	tur .		Malows	us	United States of America
	Course African Republic	JP.		MA	Mesco	UZ	Uzbekesen
	Compo	NE.	Arms	NE,	Neger	VN	Vict Nam
•	becare	A.C	K 1777 amos	NL.	Presidents	YU	Yugaslavia
	جبيده ي من	A.P	Driverous Propers	NO	heresy	zw	Zentabur
•	(		Republic of Rappe 6	١Z	here desired		
	l tag	N.E		PL	Pound		
	Carbo	KZ	Republic of Karra	PT	Portugai		
	Can a Reporter	ŭ	Rausenen 	RO	Remanu		
	Larrage	ü	See Law	EC.	Russian Federation		
	Limner	ŭ.	Lactorory	SD	Suction		
	Learne		So Lama	SK	Sweden		
		LR	Larra	SC	Singapore		

15

::

25

30

Interaction of vascular-endothelial protein-tyrosine phosphatase with the Angiopoietin receptor Tie-2

#### Specification

The present invention relates to a method for monitoring or modulating the activity of the angiopoietin receptor-type tyrosine kinase Tie-2.

A key mechanism in the proliferation and differentiation control of all cells are membrane-located receptors, whose activation in many cases is mediated by external factors via phosphorylation of tyrosine residues. The mutation of a series of endothelial cell specific receptor-tyrosine kinases (RTKs) results in lethal phenotypes early during murine embryonal development (Hanahan, Science 277 (1997), 48 - 50; Risau, Nature 386 (1997), 671 - 674). The proliferation and differentiation of endothelial cells depends on two receptor tyrosine kinase systems. The vascular endothelial growth factor (VEGF) is a secreted angiogenic factor and promotes vascularization by activation of its high affinity receptors VEGFR-1 (Flt-1) or VEGFR-2 (Flk-1). The RTKs Tie-1 and Tie-2 are involved in the sprouting and remodelling of the embryonic vascular system. The activity of these kinases is regulated by the recently identified ligands, the angiopoietins.

After ligand binding RTKs are activated by phosphorylation on tyrosine residues. Specific protein-tyrosine phosphatases (PTPs) are involved in the fine-tuning of RTK activity. Several classes of PTPs have been identified. However, the biological functions thereof are presently not understood (Neel & Tonks, Curr. Opin. Cell Biol. 9 (1997), 193 - 204; Streuli, Curr. Opin. Cell Biol. 8 (1996), 182 - 188).

In a study to identify PTPs in endothelial cells a murine vascular-endothelial protein-tyrosine phosphatase VE-PTP was identified (VE-PTP: a receptor

15

25

25

33

protein-tyrosine phosphatase expressed in vascular endothelium, EMBO-FEBS Workshop on Protein Phosphatases and Protein Dephosphorylation, Oxford, UK, September 21 - 26, 1997). Indications for a functional interaction between VE-PTP and a receptor-type kinase have not been described, however. Further, the association of PTPs with their substrates is difficult to determine due to the transcient nature of the enzyme substrate association (Flint et al., Proc. Natl. Acad. Sci. U.S.A. 94 (1997), 1680 - 1685).

The experiments underlying the present application discovered that VE-PTP is a homolog of the human HPTP\$ (Krueger et al., EMBO J., 9, (1990), 3241 - 3252), and that it is specifically expressed in endothelial cells both during the embryonal development of mice and in brain capillary vessels of newborn animals. Biochemical analyses using VE-PTP trapping mutants show a specific interaction between the C-terminal part of the molecule which contains the catalytic domain and the RTK Tie-2 but not with the vascular endothelial growth factor receptor VEGFR-2. Moreover, a dephosphorylation of Tie-2 could be detected in the presence of VE-PTP in transiently transfected COS-1 cells. These data identify Tie-2 as a specific substrate for VE-PTP and show that it is a specific modulator of Tie-2 activity.

This result is of high clinical relevance, as Tie-2 holds a key position in angiogenetic processes, the formation of the blood vessel system during embryonal development, the healing of wounds as well as in pathological processes, e.g. tumor development. As VE-PTP shows a specific interaction with Tie-2 and can modulate the tyrosine phosphorylation of the latter, the receptor-protein tyrosine phosphatase is a target both for diagnostic monitoring and for therapeutically influencing the said processes.

Thus, a subject matter of the present invention is the use of vertebrate, e.g. mammalian vascular-endothelial protein-tyrosine phosphatases or portions

15

::

25

thereof for the manufactur of an agent for monitoring or modulating the activity of receptor-type tyrosine kinase Tie-2.

A further subject matter of the present invention is the use of nucleic acids encoding vertebrate, e.g. mammalian vascular-endothelial protein-tyrosine phosphatases or portions thereof for the manufacture of an agent for monitoring or modulating the activity of receptor-type tyrosine kinase Tie-2.

Still a further subject matter of the invention is the use of ligands for vertebrate, e.g. mammalian vascular-endothelial protein-tyrosine phosphatases for the manufacture of an agent for monitoring or modulating the activity of receptor-type tyrosine kinase Tie-2.

The vascular-endothelial protein-tyrosine phosphatases and nucleic acids coding therefor, e.g. genes or cDNA molecules, are obtainable from vertebrate cells, preferably from mammalian endothelial cells, e.g. murine or human cells. Preferably the vascular-endothelial protein-tyrosine phosphatase is selected from murine phosphatase VE-PTP, human phosphatase HPTP\$\textit{\theta}\$ or portions thereof, particularly portions comprising the catalytic domain which is located at the C-terminus of the molecule (Fig. 1a). The nucleic acid sequence and the corresponding amino acid sequence of murine vascular-endothelial protein-tyrosine phosphatase are depicted in SEC. ID. NO 1 and 2, respectively. The corresponding sequences of the human protein, which were identified by Krueger et al. (supra) are depicted in SEQ. ID. NO 3 and 4.

The polypeptide or a portion thereof is suitable for monitoring or modulating the activity of receptor-type tyrosine kinase Tie-2. In addition to a phosphatase with unmodified sequence of the catalytic domain also mutants thereof, which show a modified, e.g. enhanced binding to Tie-2, e.g. the trapping mutants as depicted in Fig. 2 are suitable for the present

::

25

invention. Particularly mutants, which exhibit an enhanced binding to Tie-2 are well suited for diagnostic and therapeutic applications.

The interaction between the vascular endothelial protein-tyrosine phosphatase and its substrate Tie-2 can also be monitored and/or modulated on the nucleic acid level. To this end nucleic acids, e.g. DNA molecules, RNA molecules or artificial nucleic acid analogs such as peptidic nucleic acids may be used. Preferably these nucleic acids comprise at least 15, particularly at least 20 nucleotides from murine phosphatase VE-PTP gene, human phosphatase HPTP\$\beta\$ gene or sequences complementary thereto. These nucleic acids are suitable for the determination of the PTP expression by using known hybridization or/and amplification techniques such as PCR. On the other hand, nucleic acids can be used for the modulation of the VE-PTP expression in the form of antisense constructs or as ribozymes.

A still further aspect of the invention is the use of ligands for vertebrate, e.g. mammalian vascular endothelial-protein tyrosine phosphatases. Examples of such ligands are antibodies, e.g. polyclonal or monoclonal antibodies and antibody fragments. Polyclonal antibodies are available according to known protocols by immunization of test animals with purified VE-PTP, HPTP\$ or partial fragments thereof, which preferably contain the catalytic domain. From these test animals monoclonal antibodies can be generated in a known manner by using the method applied by Koehler and Milstein. The polyclonal or monoclonal antibodies can also be used in the form of fragments which are obtainable by proteolyic treatment or genetic engineering.

One embodiment of the invention concerns the monitoring or detection of the Tie-2 activity. This detection can be carried out by using kn wn methods, e.g. using labelled polypeptides, nucleic acids or antibodies. A

further embodiment concerns the modulation of the Tie-2 activity. Thereby a stimulation or a repression of the Tie-2 activity is possible.

Of major importance is the examination or influencing of the interaction between VE-PTP and Tie-2 for angiogenesis. Thus the present invention provides means for inducing or for inhibiting vascular growth or remodelling and blood vessel maturation. Particularly, the present invention provides means for inhibiting tumor growth and formation of tumor metastases, e.g. by repressing Tie-2 activity in target cells.

10

Moreover, the invention is explained by the following figures and sequence protocols.

shows the schematic representation of VE-PTP, its genetically engineered trapping mutants and HPTPB.

Fig. 1b and c show Northern blot and RT-PCR analyses of VE-PTP expression in mouse tissues and during mouse embryonic development.

::

25

- Fig. 2 shows in vivo expression analysis of VE-PTP by in situ hybridization.
- Fig. 3 shows biochemical interactions of VE-PTP trapping mutants with Tie-2 protein.
- Fig 4 shows selective dephosphorylation of Tie-2, but not VEGFR-2 by wild-type VE-PTP.
- shows a sequence comparison of the C-terminus of HPTP\$\mathcal{B}\$ with VE-PTP and the translated "mRPTP\$\mathcal{B}\$" sequence. Known protein domains are depicted:

Membrane proximal FN III-domain (blue), transmembrane domain (red) and catalytic domain (green). The catalytic center is characterized by a C(x), R-motif.

SEQ. ID. NO. 1 and 2 show the nucleotide sequence of VE-PTP cDNA and the corresponding amino acid sequence.

SEQ. ID. NO. 3 and 4 show the nucleotide sequence of HPTP\$ cDNA and the corresponding amino acid sequence.

#### Example 1

5

10

15

2:

25

3:

A PCR screen of a murine brain capillary cDNA library and reverse transcribed mRNA of bEND5 endothelioma cells to identify endothelial specific members of the protein-tyrosine phosphatase family was performed. For PCR, 100 pmol degenerated primers RPTP1 5'-GA(C/T) TT(C/T) TGG ATG (A/G/T) (G/T)I TGG GA-3' and RPTP2 5'-CCI ACI CGI GCI (G/C)(A/T)(A/G) CA(A/G) TGI AC-3' in 50  $\mu$ I reactions were used. As templates 1.25  $\mu$ g  $\lambda$ -DNA from mouse P4-10 brain capillary-library (Schnürch & Risau, Development, 119 (1993), 957 - 968) or 3  $\mu$ I of SuperScript cDNA preparation (GIBCO BRL) from bEND5 mRNA were used. Isolated 370 bp products were cloned into the vector pCRII (Invitrogen), analysed by restriction cleavage and sequenced on an ABI 370 automated sequencer (Applied Biosystems).

One of the identified PCR products encodes a polypeptide, designated as vascular-endothelial protein-tyrosine phosphatase (VE-PTP) which was identified as murine homolog of the previously described receptor-type protein-tyrosine phosphatase HPTP\$ (Krueger et al. EMBO J. 9 (1990), 3241 - 3252). VE-PTP and HPTP\$ belong to the subclass III freceptor-type PTPs bearing exclusively fibronectin type III-like repeats in the extracellular

domain and a single catalytic domain in the cytoplasmatic tail (Fig. 1a) (Brady-Kalnay & Tonks, Curr. Opin. Cell. Biol. 7 (1995), 650 - 657).

Fig. 1a shows a schematic representation of VE-PTP, its genetically engineered trapping mutants C->S, R->A and HPTPB. Rectangles indicate mutated amino acids in the catalytic core. The location of the degenerated primers used in the PCR screen are indicated by arrows (EC-dom., extracellular domain; FN III fibronectin-type III-like repeat; cat. dom., catalytic domain).

10

15

::

3:

#### Example 2

A Northern blot and RT-PCR analysis of VE-PTP expression in mouse tissues and during mouse embryonic development were performed. A 751 bp EcoRI-fragment from VE-PTP part 1, obtained by PCR using primers PrPTPBfor 5'-GGA AGA GGT ACC TGG TGT CCA TCA AGG-3' and PrPTPBrev 5'-GGC CGG TCC CTA CGA ATG CTG AGC CGG GCA G-3' deduced from a partial clone of murine "RPTP\$" (Schepens et al. Mol. Biol. Reports, 16 (1992)), and cloned in the vector pBS KS(+)(Stratagene), was labelled with  $\sigma^{32}P$ -dCTP (Amersham Pharmacia Biotech). For Northern blot analysis 20 µg of total RNA from mouse tissues (Chomczynski & Sacchi, Analyt. Biochem. 162 (1987), 156 - 159) were loaded on a formaldehyde containing agarose gel and blotted. A mouse embryo mRNA Northern blot was obtained from Clontech and hybridization was carried out according to manufacturer's instructions. Autoradiography was performed at -70° C for 17 d. For semiquantitative PCR 50  $\mu$ l reactions containing 2  $\mu$ l of reverse transcribed cDNA preparations and 20 pmol of primers betaseq2 5'- CCC TCT CCC TTC CTA CCT GG-3' and betarev 5'- GGC CGG TCC CTA CGA ATG CTG AGC CGG GCA GG-3' were used, giving a 416 bp fragment. 30 cycles PCR was optimized to detect 1 fg of VE-PTP plasmid DNA. \(\beta\)-actin RT-PCR was performed as described (Nakajima-lijima et al, Proc. Natl. Acad. Sci. U.S.A. 82 (1985), 6133 - 6137).

Northern blot analysis of VE-PTP expression revealed a major transcript of approximately 11 kB and two additional transcripts of 7.5 and 6 kB. In the adult mouse VE-PTP mRNA was strongly expressed in brain as well as in lung and heart. Very weak expression was detectable in kidney and liver (Fig. 1b). These data were confirmed by semi-quantitative RT-PCR performed with RNA from these organs (Fig. 1b). During embryonic development VE-PTP was weakly expressed at embryonic day E11, expression increased at E15 reaching a maximum at E17 (Fig. 1c). Strong expression was detected at E7, which may result from expression in contaminating maternal tissue as expression in the placenta was observed by *in situ* hybridization analysis as well.

#### Example 3

15

25

25

30

An in vivo expression analysis of VE-PTP by in situ hybridization to frozen sections of mouse embryonic tissues was carried out. The results are shown in Fig. 2. Fig. 2a is a darkfield image of an E12.5 embryo section hybridized with a VE-PTP antisense probe. (NC: neural crest, DA: dorsal aorta). Fig. 2b is a darkfield image and Fig. 2c is a brightfield image of a higher magnification of the vessel indicated in a (asteriks). Fig. 2d - h are sagittal sections of E15.5 embryos hybridized with antisense VE-PTP probes. Fig. 2d is a darkfield image and Fig. 2e a brightfield image of the lung. Fig. 2f is a darkfield image of the head region. Fig. 2g is an E15.5 embryo section hybridized with a VEGFR-2 antisense probe. Fig. 2h - k are vessels in brain sections of P10 mice hybridized with antisense VE-PTP probes. As templates for in vitro transcription pCRII (Invitrogen) VE-PTP-1 (370 bp fragment of VE-PTP coding for protein sequence corresponding to aa 1786 - 1913 in HPTPB in pCRII) and pBS VE-PTPpart1 were used. Sectioning of mouse embryos and in situ hybridization were performed as described (Breier et al, Development, 114 (1992), 521 - 532).

At the earliest timepoint analysed (E9.5), expression was detectable in the endothelial cell layer lining the dorsal aortae. During the subsequent developmental stages VE-PTP expression was increased throughout the developing vascular system (Fig. 2a). Strong hybridization signals were visible in endothelial cells forming blood vessels, whereas no specific signals were detected in blood cells or smooth muscle cells surrounding the vessels (Fig. 2b, c). At E15.5 specific signals were detectable in all organs with highest expression in the lung (Fig. 2d.e). Comparison to serial sections hybridized with an antisense probe to VEGFR-2 (FIk-1) as an endothelial cell marker, confirmed the vascular endothelial specific expression pattern of VE-PTP (Fig. 2 f,g). In contrast to the uniform expression levels of VEGFR-2 in different types of embryonic endothelial cells, VE-PTP was more strongly expressed in endothelial cells lining larger, smooth muscle cell invested vessels than those of small capillaries and veins. On brain sections of newborn mice, specific expression of VE-PTP was detectable in brain capillaries as well as in larger vessels (Fig. 2h-k). No specific signals were visible in neuronal or glial cells.

#### Example 4

10

::

The biochemical interactions of VE-PTP with the receptor tyrosine kinases Tie-2 and VEGFR-2 were investigated using bacterial GST-fusion proteins. The results are shown in Fig. 3.

Fig. 3a demonstrates the results of GST-fusion pull down experiments. GST and GST x VE-PTP R/A fusion protein were incubated with lysates from bEND5 cells. Precipitates were blotted with an anti-Tie-2 antibody and reblotted with an VEGFR-2 specific antibody. (tot. lys.: total lysates of bEND5 cells). pGEX-VE-PTP contains a 1.1 kB 3' part of EST-clone 552065 (Lennon et al., Genomics 33 (1996), 151-152) coding for the cytoplasmic domain. f VE-PTP cloned in pGEX 3T (Amersham Pharmacia Biotech). GST and GST-fusion pr. teins were expressed in E.coli strain TOP10 essentially

::

25

3:

as described (Frangioni & Neel, Anal. Biochem. 210 (1993), 179 - 187). For pull down experiments 10 cm dishes of confluent endothelial cells were pretreated with pervanadate, lysed and incubated with 10  $\mu$ g of GST-fusion protein prebound to glutathion-sepharose as described before (Jallal et al., J. Biol. Chem. 272 (1997), 12158 - 12163).

Fig. 3b shows co-immunoprecipitation of VE-PTP trapping mutants (C->S, R->A) with Tie-2. COS-1 cells were transfected with FLAG-tagged VE-PTP and trapping mutants together with Tie-2. Immunoprecipitation was performed with anti-FLAG antibody M2. Precipitates were blotted with a Tie-2 specific monoclonal antibody.

pCMV-FLAG VE-PTP wt, C->S and R->A contain cDNA sequences coding for a polypeptide stretch corresponding to as 1418-1977 in HPTP $\beta$  cloned in pCMV-FLAG-1 (Kodak). Trapping mutations C->S and R->A were introduced by PCR mutagenesis using primer Prbetamutes 5'-TCC GTA GTG CAC TCG AGT GCT GGT GTG-3' and primer Prbetamutra 5'-GCT GGT GTG GGC GCC ACA GGG ACG TTC-3'. COS-1 cells (Gluzman, Cell 23 (1981), 175 - 182) were transfected using the modified calcium phosphate method (Chen & Okayama, Mol. Cell. Biol. 7 (1987), 2745 - 2752). For transfection 10  $\mu$ g of pCMV-FLAG derivates and 2  $\mu$ g of expression plasmids coding for the RTKs were used. As control 0.5  $\mu$ g of EGFP expression plasmid (Clontech) were cotransfected. Cells were harvested after 2 d of expression. Transfection efficiency was evaluated under fluorescent light and was usually between 30 - 70%.

In mixing experiments of endothelial cell lysates and trapping mutants of the VE-PTP catalytic domain fused to GST, we detected interaction with the Tie-2 receptor, while GST alone did not precipitate Tie-2. The interaction was independent of pretreatment with pervanadate. In these assays coprecipitation of VEGFR-2 was never detectable (Fig. 3a).

To test for potential substrate interactions with Tie-2 and VEGFR-2 we coexpressed these RTKs with either a FLAG-tagged version of VE-PTP corresponding to an 1418-1997 of HPTP\$\textit{B}\$, or the respective trapping mutants (Fig. 1a). Physical association was analysed by co-immunoprecipitation using an anti-FLAG-antibody and subsequent blotting of the precipitates with antibodies specific for the repective RTK. In this assay the Tie-2 receptor co-precipitated with both trapping mutants of VE-PTP (C->S, R->A) (Fig. 3b). The wild type phosphatase failed to precipitate Tie-2 efficiently, even though the receptor was expressed at comparable levels. This reduced association of PTPs in vitro with their substrates is due to the transient nature of the enzyme substrate association. Unlike Tie-2, VEGFR-2 could neither be co-immunoprecipitated with VE-PTP nor with one of the trapping mutants, even though VEGFR-2 expression was comparable to that of Tie-2.

#### Example 5

15

::

Finally, the phosphorylation state of RTKs was determined in the presence of VE-PTP. Figure 4 shows dephosphorylation of (a) Tie-2 but not (b) VEGR-2 by wild-type VE-PTP. RTKs were immunoprecipitated with specific antibodies from cotransfected COS-1 cells. Precipitates were blotted with anti-phosphotyrosine antibodies and after stripping reprobed with RTK-specific antibodies.

Tie-2 and VEGFR-2 expression vectors were published previously (Koblizek et al., Curr. Biol. 8 (1997), 529 - 532; Millauer et al., Cell 72 (1993), 835 - 846). Rat monoclonal antibodies against Tie-2 clones 3g1 and 4g8 (Koblizek et al. (1997) supra) and Flk-1 clone 12σ1 (Kataoka et al., Devel. Growth Diff. 39 (1997), 729 - 740) were used. Immunoprecipitations were performed with 5 μg of the monoclonal antibodies and immunoblotting with 2 μg:ml. Polyclonal anti-Flk-1 serum 1D3 (Sugen) was used in a 1:5000 dilution. Monoclonal anti-Flag antibody M2 (Kodak), polyclonal antiserum

::

against Tie-2 (Santa Cruz Biotechnology) and monocl nal mouse antibody against phosphotyrosine PY20 (Transduction Labs) were used according to the manufacturer's instructions. Immunoprecipitations and immunoblotting were performed as described before (Esser et al., J. Cell. Biol. 140 (1998), 947 - 959); Jallal et al., J. Cell. Biol. Chem. 272 (1997), 12158 - 12162).

Immunoprecipitates of VEGFR-2 and Tie-2 co-expressed with either the VE-PTP trapping mutants (C->S, R->A) or wt VE-PTP were blotted with an apphosphotyrosine-specific antibody and then reprobed with antibody specific for the RTK. Only for Tie-2, changes in the phosporylation status were observed. In the presence of the trapping mutants (C->S, R->A) the receptor was reproducibly more highly phosphorylated than in the controls. This hyperphosphorylation of Tie-2 in the presence of catalytically impaired trapping mutants suggests that physical interaction leads to protection of the receptor from dephosphorylation. In contrast, hypophosphorylation of the Tie-2 receptor was observed in the presence of wt VE-PTP, when compared to vector control (Fig. 4a). No significant changes were detected in the phosphorylation status of VEGFR-2, irrespective of the presence of VE-PTP or its trapping mutants (Fig. 4b). These findings clearly show that Tie-2 is a specific substrate for the endothelial specific phosphatase VE-PTP.

::

3:


#### Claims

- 1. Use of vertebrate vascular-endothelial protein-tyrosine phosphatases
- or portions thereof for the manufacture of an agent for monitoring or modulating the activity of receptor-type tyrosine kinase Tie-2.
- 2. The use of claim 1 wherein said phosphatase is selected from murine phosphatase VE-PTP, human phosphatase HPTP\$ or portions thereof.
- 3. The use of claim 1 or 2 wherein said portion comprises the catalytic domain.
- 4. Use of nucleic acids encoding vertebrate vascular-endothelial proteintyrosine phosphatases or portions thereof for the manufacture of an
  agent for monitoring or modulating the activity of receptor-type
  tyrosine kinase Tie-2.
  - 5. The use of claim 4 wherein said nucleic acid comprises at least 15 nucleotides from murine phosphatase VE-PTP nucleic acid, human phosphatase HPTP\$ nucleic acid or sequences complementary thereto.
- 6. The use of ligands for vertebrate vascular-endothelial protein-tyrosine phosphatases for the manufacture of an agent for monitoring or modulating the activity of receptor-type tyrosine kinase Tie-2.
  - 7. The use of claim 7 wherein said ligands are selected from antibodies and antibody fragments.
  - 8. The use f any one of claims 1 7 f r detecting Tie-2 activity.

15

25

- 9. The use f any ne f claims 1 7 for stimulating Tie-2 activity.
- 10. The use of any one of claims 1 7 for repressing Tie-2 activity.
- 5 11. The use of any one of the previous claims for monitoring or modulating angiogenesis.
  - 12. The use of any one of the previous claims for inducing vascular growth or remodelling and blood vessel maturation.
  - 13. The use of any one of the previous claims for inhibiting vascular growth or remodelling and blood vessel maturation.
  - 14. The use of any one of the previous claims for inhibiting tumor growth.
    - 15. The use of any one of the previous claims for inhibiting formation of tumor metastases.







Fig. 1






Fig. 3




Fig. 4

Fig. 5

HPTPS aa1417 VE-PTP \_mRPTPS\* .VPHKRYLVSIKVQSAGMTSEVVEDSTITMIDRPPPPPPPPPPPPPP YLVSIKVQSAGMTSEVVEDSTITMIDRPPQPPPHIRVNEEDV SRKRYLVSIKVQSAGMTSEVVEDSTITMIDRPPQPPPHIRVNEEDV

LISKSSINFTVNCSWFSDTNGAVKYFTVVVREADGSDELKPEQQHPLPSYLEYRHXASIRVYQT LISKSSINFTVNCSWFSDTNGAVGYFAVVVREADSMDELKPEQQHPLPSYLEYRHXASIRVYQT LISKSSINFTVNCSWFSDTNGAVGYFAVVVREADSMDELKPEQQHPLPSYLEYRHXASIRVYQT

NYFASKCAENPNSNSKSFNIKLGAEMESLGGKRDPTQQKFCDGPLKPHTAYRISIRAFTQLFDE NYFASKCAESPDSSSKSFNIKLGAEMDSLGGKCDPSQQKFCDGPLLPHTAYRISIRAFTQLFDE NYFASKCAESPDSSSKSFNIKLGAEMDSLGGKCDPSQQKFCDGPLLPHTAYRISIRAFTQLFDE

DLKEFTKPLYSDTFFSLPITTESEPLFGAIE-VSAGLFLIGMLVAVVALLICRQKVSHGRERPS DLKEFTKPLYSDTFFSMPITTESEPLFGVIE-VSAGLFLIGMLVALVAFFICRQKASHSRERPS DLKEFTKPLYSDTFFSMPITTESEPLFGVIE-PVSAGLFLIGMLVALVAFFICRQKASHSRERPS

AFLSIPPDRPLSVHLNLGQKGNRKTSCPIKINQFEGHFMKLQADSNYLLSKEYEFLKDVGRNQS AFLSIPPDRPLSVHLNLGQKGNRKTSCPIKINQFEGHFMKLQADSNYLLSKEYEDLKDVGRSQS ARLSIRPDRPLSVHLNLGQKGNRKTSCPIKINQFEGHFMFLQADSNYLLSKEYEDLKDVGRSQS

CD ALLPENGKNRYNNIL PYDATRVKL SNVDDDPCSDYINASYIPGNNFRREYIVIQGPLPGT CD ALLPENGKNRYNNIL PYDASRVKL SNVDDDPCSDYINASYIPGNNFRREYIATQGPLPGT CD IALLPENGKNRYNNIL PYDASRVKL SNVDDDPCSDYINASYIPGNNFRREYIATQGPLPGT

KDDFWKMVWEQNVHNIVMVIQCVEKGRVKCDHYWPADQDSLYYGDLILOMUSESVLPEWITREF KDDFWKMAWEQNVHNIVMVIQCVEKGRVKCDHYWPADQDPLYYGDLILOMVSESVLPEWITREF KIDFWKMAWEQNVHNIVMVIQCVEKGRVKCDHYWPADQDPLYYGDLILOMVSESVLPEWITREF

KICZĘĘOTDYRAT IBHĘHATAMBOHCAŚĘLIOZTIOŁAKIAKDAINKŻĘCYCĘŻANICZYCACK KICZĘĘO DYHATIKHĘHATAMBOHCAŚĘLIOZTIOŁAKIAKDAINKŻĘCYCĘTAAHCZYCACK KICZĘĆOTDYRKTISHĘHATAMBOHCAŚĘLIOZTIOŁAKIAKDAINKŻĘCYCĘTAAHCZYCACK

TGTE VALDETLOOLDSKOSYDIYGAVHOLRIHRVHMVQTECQYVYLHQCVRDVLRARGIRSEQE TGTEVALDETLOOLDSKOSYDIYGAVHOLRIHRVHMVQTECQYVYLHQCVRDVLRARGIRSEQE TGTEVALDETLOOLDSKOSYDIYGAVHOLRIHRVHMVQTECQYVYLHQCVRDVLRARGIRSEQE

NPLEPIYENVNPEYHRDPVYSRH NPLEPIYENVNPEYHRDAIYSRH KOGVSIYENVQSITEXQSTRDIKN

#### SEQUENCE LISTING

SEQUENCE :	LISTING
<110> Max-Planck-Gesellschaft	
	•
<120> Interaction of vascular-en	dothelial protein-tyrosine
phosphatase with the Angio	poletin receptor Tie-2
<130>_20036P_EP	
<140> 99 108 074.8	
<141> 1999-04-23	· ·
<160> 4	•
,	
<170> Patentin Ver. 2.1	
4910.	
<210> 1	
<211> 1839 <212> DNA	
<213> Mus musculus	
72107 N.US MESCULUS	
<220>	
<221> CDS	·
<222> (1)(1737)	•
	•
<400> :	
and agg the etg gtg tee ate and g	tg cag teg gee gge atg acc agt 48
Lys Art Tyr Leu Val Ser Ile Lys V	al Gin Ser Ala Gly Met Thr Ser
<u>.</u> 5	10 15
•	
GAS GES GEE GAA GAE AGG ACG ACG A	oc atg ata gas ogo oog oot caa 96
Gir Vai Vai Gir Asp Ser Thr Ile T	hr Met Ile Asp Arg Pro Pro Gln
••	25 30
C** C** CC* CC*	
Pro Pro Pro Pro Pro Tio Age Vol Not of	as as; gat gtg cts atc agc ass 144
Pro Pro Pro His Ile Arg Val Asn G	_
40	45
tot too ato aan tot ant goo aan t	- 455 - 666 - 616 - 616
Ser Ser Ile Asn Pne Thr Val Asn C	ve ser Im Pha ser has the har
50 55	60
	<b>55</b>
974 977 971 999 tan tit got 919 91	T CTC 404 DAG CCC DAG ADD ATD . 340
Gly Ala Val Gly Tyr Phe Ala Val Va	of Val Ard Glu Ala Asp Ser Mee
65 70	75 80
•	
gat gay ttg aag cca gaa cag cag ca	e cot ctc cct tcc tac ctg gag 288
Asp Glu Leu Lys Pro Glu Gln Gln Hi	S Pro Leu Pro Ser Tur Lou Clu

Asp Glu Leu Lys Pro Glu Gln Gln His Pro Leu Pro Ser Tyr Leu Glu

ta	C	aga	Ca	c aa	c çc	c tc	c ato	: cg/	gt:	tac	Ca(	gac	c aa:	ta:	: 22:	gee	33(
<b>∵</b> y	=	Azq	; Hi	s As	n Al	a Se	r Ile	. Arq	, Va	Ty:	GL:	n Th	: As:	Ty:	: Pho	Ala	
				10	0			٠	105	5				110	)		
45	=	444	itg	e ge	t ga	a agi		gad	45	45	te		49	: ttc		: att	384
Se	=	Lys	Cy	s Al	a Gl	u Se:	: Pro	, ks;	Se:	: Se:	Se:	Ly	Se:	. Phe	Ası	1 Ile	
		·	11	5				120	)				125	j			
						٠							•			•	
44	Ŧ	ct:	gş	ge.	a ça	g atq	gac	: 455	cts	: 55:	95:		t ç	gat		agt	432
Ly	5	Leu	Gl	y A1.	a G1	u Het	: Asp	Sez	Leu	Gly	/ G1 <sub>3</sub>	Lys	Cys	Asp	Pro	Ser	
		130	;				135	i				140	)				.*
							•	•									
CA	Ŧ	Caç	-	tt	= tg:	ga:	gça	ccç	ctç	ttç	; CC4	cas	. 400	çee	tac	aga	480
51:	<b>:</b> .	ÇL:	Lys	Pn	e Cy:	. As	Gly	Pro	Leu	Leu	Pro	His	The	Ala	Ty	Arg	
14	5					150	)				155	}				160	
ati	=	47:	411	: 57	; 50:	: :::	aca	caç	CTA	:::	ÇAS	gag	gas	ttg	444	gaç	528
===	e	Se:	:ie	A=	, Ala	Phe	The	Gin	Leu	Phe	Asp	Glu	Asp	Leu	Lys	Glu	,
				•	169	;				170	1				175	j	
:::	=	4==	244	c=:		: tas	tcş	gat	407	tts	tts	tct	atç	ccc	ato	acc	576
P::•	•	Tas	Lys	Pro	Le	Tys	Ser	Asp	The	Pne	Pne	Ser	Met	Pro	Ile	Thr	
				180	;				185					190			•
										•							
454	•	ç4;	tca	ÇAŞ	ccc	ttş	ttt	974	gtt	422	ÇAA	55:	gtç	agt	gct	gge	624
The	•	c:_	Se:	51.	Pro	Leu	Phe	Gly	Va:	:le	61:	Gly	Val	Ser	Ala	Gly	
			:95					200					205				
===	;	:::	CTA	411	<b>7</b> 75	Atg	ctg	gzg	çee	ctt	çıı	çce	ttc	ttc	atc	tgc	672
<b>Le</b> -	. 1	P::•	ie.	::•	5:y	Het	Leu	Va:	Ala	Leu	Va:	Ala	Phe	Phe	Ile	Cys	
	:	:::					215					220					
								•									
474	•	:47	444	===	475	CAC	49=	495	gaa	495	CCA	tet	çcc	cgg	ctc	agc	720
A: Ç	; ;	:::	Lys	A:4	Se:	His	Ser	Arç	C::	Arg	Pro	Ser	Ala	Arg	Leu	Ser	
:::			•			230					235					240	
									•								
4::	:	;;	477	ÇAS	=;;	c=t	ttç	tet	çte	cat	ctç	441	ctg	ggc	cag	885	768
							Leu										
					245					250				_	255	,	
<b>;</b> ;:	4	4:	=;;	***	act	tet	tçs	css	ATA	445	atc	**	CAC	ttt	gaa	ggai	816
							Cys										
			-	260			•		265					270		3	
							٠		-					3			
=4:	:	::	4:;	44;	ctş	CAÇ	ÇCA	ÇAE	:::	44C	tas	ctt	cta	tcc	aac	GBA	864
							Ala										304

275 280 285 tat gag gad tta aaa gad gtg ggt aga agd dag tca tgt gad att gdd Tyr Glu Asp Leu Lys Asp Val Gly Arg Ser Gln Ser Cys Asp Ile Ala 290 cts ttg cot gag aat cga ggg aaa aat cga tas aas aac ata ttg cot 963 Leu Leu Pro Glu Asn Arg Gly Lys Asn Arg Tyr Asn Asn Ile Leu Pro 310 315 tat gat ged toa aga gtg aag oto tog aat gto gat gad ged oot tgo Tyr Asp Ala Ser Arg Val Lys Leu Ser Asn Val Asp Asp Pro Cys 325 333 335 tot gan tan ath eac god ago tan ath con ggt eac eac the age ege 1056 Ser Asp Tyr Ile Asn Ala Ser Tyr Ile Pro Gly Asn Asn Phe Arg Arg 343 345 gaa tan ann god ant dag gga dog dtt dda ggn ach aag gat gad ttd Glu Tyr Ile Ala Thr Glm Gly Pro Leu Pro Gly Thr Lys Asp Asp Phe 355 360 tgg and atg gcg tgg gng cag and gtt car and atc gtc atg gtg acc 1152 Trp Lys Met Ala Trp Glu Gin Asn Val His Asn Ile Val Het Val Thr 370 375 cay tit got gas asy ggo ogs gtg sag tgt gas cat tan tgg cos gos 1200 Gin Cys Vai Giu Lys Gly Arg Vai Lys Cys Asp His Tyr Trp Pro Ala 365 390 395 400 can can can one one tac tac out can one ato cta cag and goo tog 1248 Asp Gin Asp Pro Leu Tyr Tyr Gly Asp Leu Ile Leu Gin Het Val Ser 405 gay too gog ees coo gag tgg acc atc agg gag tot aag ata tgc agt 1296 Siu Ser Val Leu Pro Glu Trp Thr Ile Arg Glu Phe Lys Ile Cys Ser 420 425 The Gas cap tip gat gos can age oth att opt can tit can tag and 1344 Glu Glu Gln Leu Asp Ala His Arg Leu Ile Arg His Pne His Tyr Thr 435 443

tit gig agg aca gid agg gad tad atd aad aga agd dod ggg gdt ggg 1440 Pne Val Arg Thr Val Arg Asp Tyr Ile Ash Arg Ser Pro Gly Ala Gly

460

gig tgg cca gad cat ggg gtd cca gag add add cag tdd ctg atd caa Val Trp Pro Asp His Gly Val Pro Glu Thr Thr Gln Ser Leu Ile Gln

455

				•												
465					470					475					480	
															tte	1488
Pro	The	Va.	Val	His	Cys	Ser	Ala	Gly	Val	G1 y	Arg	The	Gly	The	Phe	
				485					490					495	;	
															gtç	1536
Val	ä	Leu	Asp	Azg	Ile	Leu	Gin	67:	Leu	Asp	Phe	Lys	Asp	Ser	Val	
			500					505					510		ч	
															atg	1584
ASF	Il e		517	Ala	Va:	His	-		Azg	Leu	His	_	Val	His	Met	
		5:5					52C					525				.•
ç::	C4 Ç	455	çaç	tçt	Caa	tat	çtç	tat	ciç	CAT	CAÇ	tgt	gta	aga	gac	1632
Val	Gi:	Tas	Sic	Cys	G1:	Tyr	Val	Typ	Leu	His	G1r.	Cys	Val	Arg	Asp	
	530					535					540					
<b>5</b> ::	===	454	gea	445	244	ctc	ccc	445	GAS	CAA	GAC	480	cca	cta	tzt	1680
			ALA													
545				-	550					555					560	
			çaç													1728
P:=	::e	Tys	27.5	ÄSN	Val	Asn	Pro	51::	Tyr	His	Azg	Asp	Ala	Ile	Tyr	
	•			565			-		570					575		
::;	454	cat	taa	;242;	ica (	ectç:	laça'	to c	cctc	:ata	2 22	cest	EECA			1777
Se:						-	-		•			•				•
	•					•								•		
=:;:	717	set '	::44		18 44	1888	1444	44:	steg	1444	555	çese	gta (	ccca	atenna	1837
••																1839
																2000
<b>&lt;:::</b>	, :												•			
<b>&lt;:::</b>	, 5°	, 6														,
<b>&lt;:::</b>	> PF	t <del>-</del>														
<::3	> H.	:s =.	iscul	.=s												
<4::	> 2					•										
Lis	Y==	Tyr	Les	Vai	Sez	::e	Lys	Va:	Gla	Se:	aia	Gly	Met	Thr	Ser	
:				5			•		::			•		15		
5		va:	5:.	λs⊃	Se:	Tar	ii.	725	Me-	Ile	Asn	A	Pro	Pea	61-	٠
-	-		::		<b>-</b>			25.			P	4	30		-	
													-			
f::	Ps		his	∷e	Arg	Val	As:	51:2	Lys	Asp	Val	Leu	Ile	Ser	Lys	
		35					4:	•				45				

- Ser Ser Ile Asn Phe Thr Val Asn Cys Ser Trp Phe Ser Asp Thr Asn 50 55 60
- Gly Ala Val Gly Tyr Phe Ala Val Val Val Arg Glu Ala Asp Ser Met 65 70 75 80
- Asp Giu Leu Lys Pro Glu Glm Glm His Pro Leu Pro Ser Tyr Leu Glu 85 90 95
- Tyr Arg His Asn Ala Ser Ile Arg Val Tyr Gln Thr Asn Tyr Phe Ala 100 105 110
- Ser Lys Cys Ala Giu Ser Pro Asp Ser Ser Ser Lys Ser Phe Asn Ile 115 120 125
- Lys Leu Gly Ala Glu Met Asp Ser Leu Gly Gly Lys Cys Asp Pro Ser 130 135 140
- Gin Gin Lys Pne Cys Asp Gly Pro Leu Leu Pro His Thr Ala Tyr Arg 145 150 155 160
- Ile Ser Ile Arg Ala Phe Thr Gin Leu Phe Asp Glu Asp Leu Lys Glu 165 170 175
- Phe Thr Lys Pro Leu Tyr Ser Asp Thr Phe Phe Ser Met Pro Ile Thr 180 185 190
- The Gir Ser Gir Pro Leu Phe Gly Val Ile Gir Gly Val Ser Ala Gly 195 200 205
- Les Phe Les Sig Het Leu Val Ala Les Val Ala Phe Phe Sie Cys 215 220
- Arg Gin Lys Ala Ser His Ser Arg Glu Arg Pro Ser Ala Arg Leu Ser 230 235 240
- Tie Arg Arg Arg Pro Leu Ser Val His Leu Asn Leu Gly Gln Lys
  245 250 250
- Dly Ash Arg Lys Thr Ser Cys Pro Ile Lys Ile Ash Gln Phe Glu Gly 260 265 270
- his Phe Met Lys Leu Gln Ala Asp Ser Ash Tyr Leu Leu Ser Lys Glu 275 282 285
- Tyr Glu Asp Leu Lys Asp Val Gly Arg Ser Gln Ser Cys Asp Ile Ala 290 295 300

- Leu Leu Pro Glu Asn Arg Gly Lys Asn Arg Tyr Asn Asn Ile Leu Pro 305 310 315 320
- Tyr Asp Ala Ser Arg Val Lys Leu Ser Asn Val Asp Asp Asp Pro Cys 325 330 335
- Ser Asp Tyr Ile Asn Ala Ser Tyr Ile Pro Gly Asn Asn Phe Arg Arg
- Glu Tyr Tie Ala Thr Gln Gly Pro Leu Pro Gly Thr Lys Asp Asp Phe 355 360 365
- Trp Lys Met Ala Trp Glu Gln Asn Val His Asn Ile Val Het Val Thr 370 380
- Gin Cys Val Glu Lys Gly Arg Val Lys Cys Asp His Tyr Trp Pro Ala 385 390 395 400
- Asp Gin Asp Pro Leu Tyr Tyr Gly Asp Leu Ile Leu Gln Het Val Ser 405 410 415
- Siu Ser Val Leu Pro Glu Trp Thr Ile Arg Siu Phe Lys Ile Cys Ser 420 425 430
- Giu Giu Gin Leu Asp Ala His Arg Leu Ile Arg His Phe His Tyr Thr 435 440 445
- Val Trp Pro Asp Ris Gly Val Pro Glu Thr Thr Gln Ser Leu Ile Gln 450 460
- Pre Val Arg Tor Val Arg Asp Tyr Ile Asn Arg Ser Pro Gly Ala Gly
  465 470 475 480
- Pro Thr Val Val His Cys Ser Ala Gly Val Gly Arg Thr Gly Thr Phe 485 490 495
- Fal Ala Leu Asp Arg Ile Leu Gim Gim Leu Asp Phe Lys Asp Ser Val 500 505 510
- Asp lie Tyr Gly Ala Vel His Asp leu Arg Leu His Arg Val His Met 515 520 525
- Val Gin Thr Gil Cys Gin Tyr Val Tyr Leu His Gin Cys Val Arg Asp 530 535 540
- Val Leu Arg Ala Lys Lys Leu Arg Ash Glu Gln Glu Ash Pro Leu Phe 545 550 555 560

Pro Ile Tyr Glu Asn Val Asn Pr Glu Tyr His Arg Asp Ala Ile Tyr 565 570 575

Ser Arg His

. 90

<210> 3 <211> 6075 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (31)..(6021) <400> 3 gretestetg gatettaact actgagegea atg etg age cat gga gee ggg ttg 54 Het Leu Ser His Gly Ala Gly Leu got tig tgg att aca cig agt cig cig cag act gga cig gog gag cca Ala Leu Trp Ile Thr Leu Ser Leu Leu Gln Thr Gly Leu Ala Glu Pro 10 15 gay aga tot aan ten ann one gog gay ton aag gon ton ago cat ton Glu Arg Cys Asn Phe Thr Leu Ala Glu Ser Lys Ala Ser Ser His Ser 25 gig tot ato cap top aga att tip goo toa con tot ago oto Wal Ser lie Gin Trp Arg Ile Leu Gly Ser Pro Cys Asn Phe Ser Leu 45 - 50 ato tat ago ago gas acc end ggg god gog tog tgc cot acc tot egg 246 lie Tyr Ser Ser Asp Thr Leu Gly Ala Ala Leu Cys Pro Thr Phe Arg 60 65 ata gar aan ann ana tan gga tgt aan ntt caa gat tta caa gna gga lie Asp Asn Thr Thr Tyr Gly Cys Asn Leu Gin Asp Leu Gin Ala Gly 75 acc atc tat asc tic asg att att tot otg gat gas gag ags act gtg

The lie Tyr Ash Phe Lys lie lie Ser Leu Asp Glu Glu Arg Thr Val

gir tig cas aca gat cot tis cot cot got agg tit ggs gtc agt ass

	Va.	1 1	Leu	: G	l n	Th:	: A:	sp P	'IO	Leu	P=	o P:	:o A	la 2	Arg	Phe	• G1	y Va	12 S	ėr	Lys	
	10	5							10						115			-			120	
	ga	3 4	aaç	ac	:g	ac:	: tc	a a	CC	gçc	: tt	ç ca	: 5	:: t	:55	tgg		t co	:t t-	ct	ŧcc	438
	Glu	ı 1	Lys	T	12	The	: Se	r T	hr	Gly	Le	: H:	.s V	al 3	;zp	Tr	Th	= P:	o S	e:	Sez	,,,,
							12	5						30						35		
	661	ه ۱	188	ζ:	:=	acc	tc	a t	2:	949	çt	; CA	4 1:	ta :	::t	gat	gai		t a	BC	CAA	486
	21)	, 1	.ys	Va	1	The	Se	r T	λΞ	Glu	Val	G1	= Lo	eu P	he	Asp	Gl	. As	n A	sn.	Gln	
						140						1,4						15		٠		
	220		ta.	Ca	5 (	555	gt	tc	14	att	Caa	ga	a aç	;: a	et	tca	tg	, 22	t gi	14	tac	534
	Lys	I	10	G:	n (	CIA	٧a	1 G	ln .	Ile	Gla	G1:	u Se	er I	hz	Ser	Tr	As	n GI	lu	Tyr	.*
				15	5						160	;					165	j			_	
	455	:	==	==	= 4	BA:	EE	: a:	:= (	çct	<b>55:</b>	47	. 44	a t	<b>a</b> c	445	455	gc	<b>2</b> at	:c	aca	582
	The	?	ne ne	Ph	• /	As:	Lei	ı T.			C:y	Se:	Ly	's T	yΞ	Asa	I1e	Al.	a Il		Thr	
		•	70							175						180						•
		_																				
	425	6.		55	- 9		531	. 44		:5:	:::	==	: ts	a Ç:	::	tat	acc	- 44	e gg	2	tca	630
	125	•		3E:	- 0	- y	213			rt2	Se:	Phe	: Se			Tyz	The	Ası	n Gl	y	Ser	
	-63							19	U					19	95						200	
	454			c-,							<b>-</b>											
	7	γ.	• •	D			Dea	y.	9 4		gat	45:	55	<b>:</b>	==	tcc	aca	221	gc	C	385	678
	••••	•	•		, ,	<b>E</b> .	205	V 4	÷ L	.ys	ASP				Le	Ser	The	Lys	A1	2	Asn	
						٠	233						21	J					21	5		
	:::	=:	:=	215	. 4		tes	T O			-1-											
	Se:		! _	Lez		i.e	Ser	T	, . 		u	61	Ca.	- 51		44t-	grg 	gaa	cg.	<b>a</b> 1	tac	726
					2	23			_			225			y	MST.	ATT			\$	Tyr	
								÷										230				
	==;	==	;	4:;	=	: 4	4:5	ga:	. a		222	Ate	674		• ,							
	A:;	_ <b>-</b>	_ :		10	ا نـ:	He:	As;	L	ys (	Slv	Ile	le:	· y-		u	gyc Glw	Ggc	ge		geg	774
				235				•			243				•		245	GIY	V4.	١ ١	41	
											-,						413					
	Ç4:	44	• (	: <b>4</b> :	Ç	== 4	<b>.:</b> :	tc	: t	B: 6	;::	:::	CAS	: ca	a (	et c	trr	cet				022
	Asp	<b>L</b> y	<b>5</b> 1	iis	A.		:n:	Se:	T	y= 2	هنا	Pne	His	Gl	v	Leu	Ser	Pro	Gla			822
		25	:						2	55						260			42)	•	y.	
	====	:4:	= 4	142	==	:= 4	134	ç::	4	: ;	<b>::</b>	gaç	çet	<b>G</b> =	2 (	:02 (	etc	CAA	880	: <b>t</b>	20	870
	Le. '	;;;	: ;	is:	Le	:: 1	ar	Val	He	:: :	1:	Slu	Ala	A1		ilv	Leu	Gln	Asn	T	'vr	0.0
	:65							270						27							80	
	4;; :	7;	; •	44	==	4 9	te	455	45	4 9	== :	===	415	gad		te :	:ca	aat	ctn		AC.	918
٠	Ar; :	::	: :	<b>).2</b>	Le	_ ¥	4:	As;	7.	: A	ial	Pro.	He:	611	۷ د	al S	er	Asa	Leu	L	~ <b>y</b>	740
						2	95						290				- '		295	_	, -	
	;:; 4	ca		4:	\$4°	: 5	;=	açt	tt	g 4	c: :	:::	cta	444	g	tc a	44	tçg	caa	a	ga .	966

													•			
Va.	. Th	r As			y Se	r Le	u Th:	: Se:	Le	u Ly:	Va.	L Ly	s Tr	P G1	n Arg	
			30	0 -				305	•				31	C		
								•								
															966	1014
PEC	PIC	31.		n va.	T W2	P 26:			110	e Th:	Leu			s Ly	s Gly	
		31	3				320	,				32	5			
400	: <b>a</b> to	: 44:	= ga	a te:	<b></b>	L CEA	1 Eta	CCA			, ,		- '62		Cac	
															His	1962
	330			,		335			•	,	346			• •••		
									٠,							
															tg:	1110
Phe	Lys	; G1:	ı Le:	ı Val	l Pro	Gly	, Azç	Leu	Ty:	GL:	. Val	Th	. Val	L Se:	Cys	
345	i				350	)				355	i				360	
												•				
522	te:	GG:	. gaa	ctq	; tet	get	CAÇ	445	4:5	, 559	GES	99:	. ed1	ac:	ttt	1158
va.	26:	6-1	/ <b>G</b> ii	365		ALB	512	_ys			Val	Gly	/ Arq		Phe	
				363		•			370	i				375		•
CCA	ças	. 444	gtt	gca	445	cte	gas	CCA	445	441	442	acc	acc	. Atc	agģ	1206
Pro	Asp	Lys	Val	Ala	Asn	Leu	Glu	Ala	Asn	Asa	Asn	Gly	Arc	Met	Arg	1200
			380					385					390		, , _ ,	
tct	ctt	gta	gtg	450	tgg	tcg	CCC	cct	çet	gga	ÇAC	tçç	gag	cag	tat	1254
Ser	Leu			Se:	Esp	Ser	Pro	Pro	Ala	Sly	Asp	Trp	Glu	Gln	Tyr	
		395					400	•				405				
	A:-	<u>,</u>														
-,, A:=	::•		ie:	Pre	Asn	ye. Aen	5	VAT	5=5	100	• • • •	140	at:	400	gtg Val	1302
•	4:0			• • • • • • • • • • • • • • • • • • • •	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	415	<b>J</b> .	•••	***	24.	420	ASII	116	Inz	ATT	
						•••					120					
ÇÇ4	447	ÇAA	ÇAA	ACA	CAÇ	tat	çte	425	gat	ÇAS	acç	956	cte	gta	cca	1350
Siy	Lys	5:-	51.	Tar	Gla	Tyr	Val	Mei	Asp	Asp	The	Gly	Leu	Val	Pro	
425					430					435					440	
57 <b>4</b>	454	CAÇ	:4:	ga;	gtg	ÇAA	ÇEE	4::	tit	gaç	491	gga	44:	Etg	aag	1398
y	X:;	51 <del></del>	Tys		Val	Glu	Val	Ile		21:2	Ser	C1A	Asn	Leu	Lys	
				445					450					455		
14E	1::	CAS	cat	tes	CAA	ggs	400		e							
Asr.	Se:	5:_	Ass	Cvs	Gln	Gly	A	Tr-	Arr	Pro	Lau	31.	g:c	ete.	CAG	1446
		-	460	-,-		<b></b> ,	~~ y	465	•	F.U.	Leu	VI.	470	reu	GIN	
		•											7.0			
:::	cşt	<b>5</b> 15	***	CAT	çee	44:	<b>544</b>	AC:	tca	ctg	AÇI	425	atq	taa	CAG	1494
Leu	AFÇ	Val	Lys	His	Ala	Asa	Glu	Tr.:	Se:	Leu	Sec	:le	Met	Tro	Gln	
		475					485					485		•		
331	cci.	Şta	954	944	;\$¢	945	444	tas .	atc	A	tcc	CZA	çct	gac	aga	1542

The	. P=	o V.	al A	la Gi	lu Tr	:p Gl 49		s Ty	<b>=</b> I1	e Ii	e Se.		4 A1	a As	P Arg	
							•					_				
gac Asp	Lei	e t: u Le	a c	ig at Eu Il	c ca .e Hi	s Ly	g to s Se	a ct r Le	c tc	c aa s Ly	a gar s As;	ged Ala	aa. Ly:	a gad s Gli	a ttc u Phe	1590
505	•				51		•			51			•	,	520	
act	tt:	: ac	: 94 :- A:	C C	G Gt	5 CC	e gga	a cg	A 44.	a ta	C atq	çci	aca	gte	acc L Thr	1639
				52		- •••	J G.;	, n='	53:		. ne:	. Ale	ırnı	53:		
45:	4::	. aç	t gç	a ça	c tt	2 221	44:	te:	: te:	t tc	A Gta		gga	aga	aca	1686
261	Ile	: 5e	r G1 54	y As C	p Le	u Lys	AS:	: Se: 54		: Se:	r Val	Lys	G1 <sub>3</sub> 550		Thr	<i>*</i> .
4:2	cet	ç=	s ca	a g:	ç ac	t gad	: ::;	; C&:	: gtç	; çc	- 445	CAA	gça	atq	acc	1734
Val	Pro	55	a G1 5	n Va	i Th	: Asp	560		Val	l Ala	Asn	565		Met	Thr	
47:	451	===	ç ii	t act	. 440	: tçg	400	Caç	; gca	Caa	gga	gac	gta	gaa	EEE	1782
2e:	5er 570	Le	ų Ph	e Th:	: As:	: Isp 575		GLA	Ala	31 <u>.</u>	580		Val	Glu	Phe	٠
tac	CAA	şt	E tt	e cto	; atc	: cat	gaa	441	giç	; çt:	: Att	222	aát	gaa	agc	1830
585	<b>4.</b>	Vā.	. Lei	i Let	590		Glu	Asn	Val	Val 595	Ile	Lys	Asn	Glu	Ser 600	
41:	:::	47	ça;	; 4C:	ag:	aga	tac	AÇE	tts	CAS	tet	ctc	aag	tcc	ggc	1878
i.e	Se:	Se:	: 51.	: Th: 605	Ser	A=5	Tyr	Ser	Pne 610	His	Ses	Leu	Lys	Ser 615	Gly	
47:	==;	:4:	: :::	giç	gzg	gta	454	454	çıç	49:	çça	<b>686</b>	atc	tet	tcc	1926
3 <b>4</b> :	<b></b> .	77:	62:	V41	Val	Val	The	Th: 625	Va:	Ser	Gly		Ile 630	Ser	Ser	
C;4	CAA	<b>\$</b> 1;	<b>;::</b>	\$\$\$	gag	gga	454	454	çte	cct	tes	agt	gtg	agt	gga	1974
~ ;	<b>9.</b> 5.	635	•4.	VAL	CIU	Gly	84C	The	Val	Pro	Ser	Ser 645	Val	Ser	Gly	
7:4	4=;	¢:;	440	44:	tcc	95:	cçt	441	ga:	tac	ctc	age ·	çtt	tee	taa	2022
• • •	Th: ES:	Val	Asn	As:.	Ser	G1y 655	Arţ	Asn	Asp	Tyr	Leu 660	Ser	Val	Ser	Trp	
:::::	;;;	Ç=;	c==	gga	ÇAZ	çtç	ça:	445	tat	ÇAÇ	çta	aca '	ttç	tet	cat	2070
ie. 1	VA.	A.a	PES	Cly	<b>Asp</b> 670	Va:	Asp	Ast.	Tyr	51u 675	Val	Thr	Leu	Ser	His 680	· <b>•</b>
ça: ç	<b>;</b> q=	445	çıç	çtt	Caç	tes	c::	çte	att ·	ÇCE	aag	tct (	<b>j</b> te	aga i	gaa	2118

As	p G	Ly 1	Lys	Va	11 V	al ( 85	ila	Sez	: Le	u Va	65 65		la L	ys S	es V	al A	rg G 95	lu
tç Cy	t to s Se	c t	rtc Phe	Se 70	± 50	cc c	eu eu	acc	ec.	4 99 0 91 70	y Az	gc c:	tc to	ec ad yr T:	: V	eg ad al Ti	ec a	ta 2166 le
ac: Th:	t ac	= #	155 125 125	aç Se	r Gi	;= a ly L	aç ys	tat Tyr	ga: G1: 720	i As	t ca n Hi	e to s Se	is si	:c aq ne Se 72	: G1	ia ga in Gl	ig co	79 2214 79
aca The	73	1 P	et Te	ga: As;	e aa p Ly	ia ç 'S V	-	cag Gln 735	G1)	gt: / Va.	= <b>a</b> ç 1 5e	: ç: : Va	: ag : Se 74	I As	c to a Se	a go r Al	a Ar	ig 2262
493 Se: 745	ÀS	e t	at y=	tti Le:	aç : Ar	3 A1	:a : :1 :	te: Se:	tçş	ya:	; ca L Hi:	5 GC 5 AL 75	a In	: gç	a ga y As	c tt p Pn	t ga e As 76	P .
CAC His	ta: Ty:	: ç.	aa lu	gt: Val	: ac : Th: 76:	= I1	:	eaa Lys	aac Asn	Lys	77(	: As:	c tt n Ph	c at	t ca e Gl:	a ac n Th	r Ly	a 2358 s
ag: Se:	at:	: C:	0	aaç Lys 780	Se:	a ga : Gi	a a	iac isn	gaa Glu	Egs Cys 785	Va:	tti Pho	t gti e Val	t cad	790	a gte u Val	cc l Pr	2406 o
. 974 C.y	eş;	: Le	) 	ta: Ty:	aç: Se:	g: Va	= <b>.</b> : :	בה:	Val BCO	act The	aca Th:	Lys	aşt Se:	994 61) 805	G1r	ta:	ga Gl	<b>2454</b>
Ala Ala	Aat Asn BiC	ça G:	ia (	saa Sin	G1y	Asi	r. G	99 / ly / 15	aça Neş	aca Thr	att Ile	Pro	9 Glu 820	Pro	gt: Val	aaq Lys	gai Asj	2502
cta Les 825	aca Thr	tt Le	3 C	:gc	aac Asn	ag; Arç 830	; S	gc a es 1	net Ins	çag Glu	gac Asp	ttg Lec 835	His	gtç Val	act	tçg Trp	Sez 840	•
GT# Gly	722 Aid	Aa'	t g	T.A	gat Asp 845	çte Val	: ga	ip G	iaa iin	tat Tyr	94 <b>Ç</b> G1u 850	atc	caç Gin	ctg Leu	ctc Leu	ttc Phe 855	Asn	2598
ÇAC Asp	at; Met	Lys	5 V.	ta a: 60	ttt Phe	Pro	P:	t t	he I	cac His 965	ctt Leu	gta Val	aat Asn	acc The	gca Ala 870	acc Thr	gaç Glu	2646
tat	54	:::		et '	tes	Cta	<b>A</b> C	<b>a</b> c	ca q	;;=	cçe	Cåå	tac	<b>a</b> aa	att	ctt	gtc	2694

Tyr Arg Phe Thr Ser Leu ihr Pro Gly Arg Gln Tyr I 875 880 8	ys Ile Leu Vai
ttg acg att agc ggg gat gta cag cag tca gcc ttc a Leu Thr Ile Ser Gly Asp Val Gln Gln Ser Ala Phe I 890 895 900	tt gag ggc ttc 2742 le Glu Gly Phe
aca git cot agt got gic aaa aat att cac att tot o Thr Val Pro Ser Ala Val Lys Asm lie His lie Ser P 905 910 915	cc aat gga gca 2790 ro Asm Gly Ala 920
aca gat age ctg acg gtg aac tgg act cet ggt ggg g The Asp Ser Leu The Val Ash Tep The Pro Gly Gly G 925 930	ça çac git gat 2838 ly Asp Val Asp 935
ton tan and gtg tog goa ttn agg can agt caa aag g: Ser Tyr Thr Val Ser Ala Phe Arg His Ser Gln Lys Va 940 945	tt gac tot cag 2886 al Asp Ser Gln 950
act att com eag cam gim tit gag cam acg tim cam ag Thr lie Pro Lys His Val Phe Gim His Thr Phe His Ar 955 960 96	g Leu Glu Ala
GTT gag cag tac cag atc atg att gcc tca gtc agc gg Gly Glu Gln Tyr Gln Ile Met Ile Ala Ser Val Ser Gl 975 980	g too otg aag 2982 y Ser Leu Lys
Ash Gir lie Ash Val Val Gly Arg Thr Val Pro Ala Se	t gtt caa gga 3030 r Val Gln Gly 1000
qua att qua qui est qua tar agr agr tat tor tra at. Val lie Ala Asp Asm Ala Tyr Ser Ser Tyr Ser Leu II. 1005 1010	a gta agt tgg 3078 m Val Ser Trp 1015
caa aaa çot çot çot çog çoa çaa aça tat çat ato otç Sin Lys Ala Ala Gly Val Ala Glu Arg Tyr Asp Ile Let 1020 1025	g ctt cta act 3126 g Leu Leu Thr 1030
Gas sat ggs atc ctt ctg cgc sac aca tca gag cca gcc Glu Asn Gly Ile Leu Leu Arg Asn Thr Ser Glu Pro Ala 1035 1040 1045	Thr Thr Lys
cae car ass tit gas gat cts are cre ggr sag ass ter Gin His Lys Phe Giu Asp Leu Thr Pro Gly Lys Lys Tyr 1050 1060	aag ata cag 3222 Lys Il Gln
att tia att git agi gga ggt tit tit agi aag gaa get	caç act gaa 3270 -

	•
Ile Leu Thr Val Ser Gly Gly Leu Ph Ser Lys Glu Ala Gin Thr Gl	
1055	
1065 1070 1075 108	0
ggo cga aca gto cea gea get gto aco gao etg agg ato aca gag aa	c 3318
Gly Arg Thr Val Pro Ala Ala Val Thr Asp Leu Arg Ile Thr Glu As	- 3316
	n
1085 1090 1095	
too acc agg cac ctg too tto cgo tgg acc goo toa gag ggg gag et	- 33.66
See The Are the top See the her me at the see of	c 3366
Ser Thr Arg His Leu Ser Phe Arg Trp Thr Ala Ser Glu Gly Glu Le	u j
1100 1105 1110	•
ago tgg tao aac atc ttt ttg tao aac cca gat ggg aat ctc cag gag	
See Ten Tue has the Deale Ten Tue Ten Tue has the Deale Ten Tue Te	3414
Ser Trp Tyr Asn Ile Phe Leu Tyr Asn Pro Asp Gly Asn Leu Gln Gli	٤
1115 1120 1125	
161 561 611 511 616 661 661 661 665 661 665 661 661	100
aga got caa gtt gad coa cta gtt cag agt tto tot tto cag aac tto	3462
Arg Ala Gin Val Asp Pro Leu Val Gin Ser Phe Ser Phe Gin Ash Leu	
1130 1135 1140	
<b></b>	
cta caa ggc aga atg tac aag atg gtg att gta act cac agt ggg gag	3510
Leu Gln Gly Arg Het Tyr Lys Het Val Ile Val Thr His Ser Gly Glu	
1145	
1130 1135 1160	
ctg tot aat gag tot tto ata ttt ggt aga aca gto coa goo tot gtg	3558
Leu Ser Asn Glu Ser Pne Ile Pne Gly Arg Thr Val Pro Ala Ser Val	
1166	•
1165 1170 1175	
•	•
age cat one agg ggg too mat ogg mad mog acm gad agd ott tgg tto	3606
Ser His Lea Ary Gly Ser Ash Ary Ash Thr Thr Asp Ser Leu Trp Phe	2000
• • • • • • • • • • • • • • • • • • • •	
1185 1190	
eas top agt coe god tot gop gas til gas til tal gag olg ett sto	
Ase Too See Dee 2's Can C'y tan Day A	3654
Asn Trp Ser Pro Ale Ser Gly Asp Phe Asp Phe Tyr Glu Leu Ile Leu	•
1195 1200 1205	•
141 441 555 441 555 454 445 445 511 115 555 55	
tat aat coo aat ggo aca aag aag gaa aac tgg aaa gac aag gac otg	3702
Tyr Asn Pro Asn Gly Thr Lys Lys Glu Asn Trp Lys Asp Lys Asp Leu	
1210 1215 1220	
100 PAR 100 PRO 110 PAR 000 PAR 000	
act day too cos til cas doc cit dit col dos add asd tac did cit	3750
Int Giu Trp Arg Phe Gin Gly Leu Val Pro Gly Arg Lys Tyr Val Leu	
1775	
1235 1240	
	•
igg gig gia act car agt gga gat ctc agt aat aaa gtc aca geg gag	3798
Erp Val Val Inr His Ser Gly Asp Leu Ser Asn Lys Val Thr Ala Glu	- · • •
1946	
1245 1250 1255	•
igo aga aca got oca agt cot oco agt ott atg toa ttt got gad att	2046
	3846

		Leu Met Ser Phe Ala Asp Ile	
1260	1265	1270	
the det ace too try o	cc atc acç tgg	ass ggg ccc cca gac tgg aca	3894
1275		Lys Gly Pro Pro Asp Trp Thr	
1273	1280	1285	
der fer der der ser g	ag cig cag igg	ttg ccc aga gat gca ctt act	3942
1290		Leu Pro Arg Asp Ala Leu Thr	
1230	1295	1300	
gen 410 000 +10 1		•••	_
Va. Due yeu Deu Lin a	er der dem dem	tca gas ggs cgc att gtg tat	3990
1305		Ser Glu Gly Arg Ile Val Tyr	
		1315 1320	
CCI CII CCI CCA CCC AC		tto aac gto aag act gto agt	
		Phe Ash Val Lys Thr Val Ser	4038
1325			
	•	1335	
COL CAT ICC TCC AAA AS	T TAC ACT AAA	cca att ttt gga tct gtg agg	
Gly Asp Ser Trp Lvs Tr	r Tvr Ser Lvs	Pro Ile Phe Gly Ser Val Arg	4086
1340	1345	1350	
		2330	
aca aag cot gad aag at	4 C44 445 C16	cat tgc cgg cct cag aac tcc	4124
The Lys Pro Asp Lys Il	e Gin Asn Leu	His Cys Arg Pro Gln Asn Ser	4134
1355	1362	1365	•
407 900 400 900 000 00	tes ats set	eet gat tet gac tet gat ggt	4100
The Ala Die Ala Cys Se	Trp Ile Pro	Pro Asp Ser Asp Phe Asp Gly	4182
1370	1375	1380	
·	•		
tat agt att gas tgc cg	g aaa atg gac s	ico caa gaa goo gag tot too	4230
Ty: Ser lie Cil Cys Ar	Lys Met Asp :	hr Gln Glu Val Glu Phe Ser	1230
1385 1396		1395 1400	
ata aat ett gat aaa gad	aaa tot otg o	to aac atc atg atg cta gtg	4278
Art Lys Let Glu Lys Glu	Lys Ser Leu I	eu Asn Ile Het Het Leu Val	42.0
1405	and the second s	10 1415	
		· · · · · · · · · · · · · · · · · · ·	
com cat way agg tac co;	gig too ato a	aa gig cag tog goo ggo atg	4326
Pro his Lys Arg Tyr Leu	Val Ser Ile 1	ys Vai Gin Ser Ala Gly Met	1320
1423	1425	1430	
•			
acc age gas ges get gaa	gac aç: act a	to aca atg ata gao ogo oco	4374
The Ser Gia Val Val Glu	Asp Ser Thr I	le Thr Het ile Asp Arg Pro	73/4
1435	1442	1445	
		<del>-</del>	
cot cot coa coo coa cac	att ogt gtg a	it gåa aag gat gig cta arr	4422

·	
Pro Pro Pr Pro His Ile Arg Val Asn Glu Lys Asp Val Leu Ile	
1450 1455 1460	
age and test too ate and test act get and tige age tigs the age gas	4470
Ser Lys Ser Ser Ile Asn Phe Thr Val Asn Cys Ser Trp Phe Ser Asp	
1465 1470 1475 1480	
acc eat ggs gct gtg ass tac tto acs gtg gtg gtg ags gag gct gat	
The Ash Gly Ala Val Lys Tyr Phe The Val Val Arg Glu Ala Asp	4518
1485 1490 1495	
•	*
ggs agt gat gag ctg aag cca gaa cag cag cac cct ctc cct tcc tac	4566
Gly Ser Asp Glu Leu Lys Pro Glu Gln Gln His Pro Leu Pro Ser Tyr	
1500 1505 1510	
ctg gag tac agg cac aat god too att ogg gtg tat dag act aat tat	4614
Leu Glu Tyr Arg His Asn Ala Ser Ile Arg Val Tyr Gln Thr Asn Tyr	-
1515 1520 1525	,
ttt god agd amm tgt god gam mat oot mad agd mad tod mag agt ttt	
Phe Ala Ser Lys Cys Ala Glu Asn Pro Asn Ser Asn Ser Lys Ser Phe	4662
1530 1535 1540	
aat att aag ett gga gea gag atg gag age tta ggt gga aaa ege gat	4710
Asn Tie Lys Leu Gly Ala Glu Met Glu Ser Leu Gly Gly Lys Arg Asp	
1545 1550 1555 1560	
555 A57 547 544 444 555 565 665 665 665 665	
Pro The Gin Gin Lys Phe Cys Asp Gly Pro Leu Lys Pro His The Ala	4758
1888	
1575	
tar aga att agr att cga got ttt aca cap ott ttt gat gag gac ctg	4806
Tyr Arg lie Ser lie Arg Ala Pne Thr Gin Leu Phe Asp Glu Asp Leu	4000
1583 1585 1590	
AND DANGE OF AND CON CENT TO GAT AND THE TEXT TO THE CON	4854
Lys Glu Pne Tnr Lys Pro Leu Tyr Ser Asp Thr Phe Pne Ser Leu Pro	
1595 160C 160S	
ATT ACT ACT CAR TOR COR THE COR	
att act act das tos gag con tig tit ggs got att gas ggt gtg agt Tie Thr Thr Glu Ser Glu Pro Leu Phe Gly Ala Ile Glu Gly Val Ser	4902
1615 1620	
1020	
get ggt cig tit the att ggc atg cia gig get git git gec the tig	4050
Ala Gly L u Phe Leu Ile Gly Met Leu Val Ala Val Ala Leu Leu	495C
1625 1630 1635 1640	
ato top aga cag asa oty ago cat oot ogs gas aga occ tot occ ogt	4998

	Ile Cys A:	eg Gln Lys	Val Ser H	is Gly Arc	Glu Arg Pro Se	- 21 - 2
	· .	1645				•
		1043	•	1650		1655
	cig ago at	it ogt agg	gat cga c	ca tta tet :	gtc cac tta aa	C C10 000 10.
	Leu Ser 11	e Ara Ara	A		y	c ctg ggc 5046
	500 501 11		wah wad k	to men set	Vai His Leu As	n Leu Gly
		1660		1665	167	0
	CAS 444 ES	1 445 655	444 ACT T			
	5'- '4- 51		Total Charles			t cag ttt 5094
			Lys in: Se	er Cys Pro	lie Lys Ile As	n Gln Phe
	167	5	16!	30	1685	
				•		
	GAA CES EA	= tt= ato	445 CTA C		SCC AAC TAC CT	
	C' C' U	- 2	1 2	yer yer :	ec age tac et	ctates 5142
		s rne met	Lys Leu G	in Ala Asp S	ier Asn Tyr Le	u Leu Ser
	1690		1695		1700	
	A45 CAA TA					•
	1 61 6	- 909 909		e ded das c	ga aac cag te	e tot gae 5190
	ras era ta	= 316 619	Leu Lys As	p Val Gly A	rg Asn Gln Se	Cys Asp
	1705		1710		<b>15</b>	1720
	·					••••
	4 6-4		<b>635</b> 336 36			
	••• •••		ded est så	• 644 999 9	at cga tac aad	: aat ata 5238
	lie Ala Le	L'Leu Pro	Glu Asn Az	; Gly Lys A	an Arg Tyr As:	Asn Ile
		1725		1730		1735
		÷				****
			•			•
	tig car ta:	: Gat Gee	sed eds és	g mag ete t	cc aat gta gat	gat gat - 5286
	Let Pro Ty:	Asp Ala	Thr Arg Va	l Lys Leu S	er Asn Val Asp	Asp Asp
		1740		1745	1750	, <del>-</del>
			•		1/30	
	::: ::: :::	CAS TAS	ate dat go	: 4ç: ta: a:	to cot ggo aac	aac Etc 5334
	Fr: Tys Ser	Asp Tyr	Tie Asn Ai	Ser Tyr I	e Pro Gly Asn	Asn Phe
	: " : :		176		1765	Man Elle
	,		2.0	•	1,63	
	411 474 544	id: Att	gic act ca:	7 930 CCG C	t cet gge ace	aag gat 5382
	Art Art Sil	Ty: Lie	Val Tnr Gi:	Sly Pro Le	u Pro Gly Thr	Twe Ass
	: - : :		1775	,		rys wab
	• •		2		1780	•
						•
	<b>**: ::: :</b> ;;	444 A17 (	gig tgg gad	C44 445 55	t cac aac atc	gtc atg 5430
	Asp Pae Top	Lys Met 1	Val Tro Gla	Sin Asm Va	: His Asn Ile	Val Man
	: "8:		790			ATT WES
		•	, , , ,	179		1800
					•	
	71; ACC CAÇ	tt: tt:	SAS BAG CES	CCA CTA AA	g tg: gac cat	tac 250 \$430
•	Wai The Gin	Evs Val S	ile two Cla	les Uni to	s Cys Asp His	tac tgg 5478
			ore bys dry		2 CAR WED HIR	Tyr Trp
		1825		18:3		1815
;	=== C== CA=	CAS CAS F	:== c:- +=-	*** *** ***		_
,	Den 11. 1	C. 4 C		999 94	c ctc atc ctg	cag atg 5526
:		U.T ASP S	er i i Tyr	Tyr Gly As	P Leu Ile Leu	Gln Met
	3	820		1925	1830	
-	III ISA SAS			1000		
•	4-4	3:5 6	-4	tyy acc at:	cgg gag ttt	aag ata 5574

·	•
Leu Ser Glu Ser Val Leu Pro Glu Trp Thr lie Arg Glu Phe Lys Ile	
1835 1840 1845	
tgo ggo gag gas cap ett gat gos cac ags ett att ege cac ttt cac	5622
Cys Gly Glu Glu Gln Leu Asp Ala His Arg Leu Ile Arg His Phe His	
1850 1855 1860	
tat acq gtg tgg cca gac cat gga gtc cca gaa acc acc cag tet ctg	5670
Tyr Thr Val Trp Pro Asp His Gly Val Pro Glu Thr Thr Gln Ser Leu 1865 1870 1870	
1865 1870 1875 1880	-
400 C10 ***	
ato dag tit gtg aga act gtc agg gac tao ato aac aga ago cog ggt	5718
Ile Gin Phe Vai Arg Thr Vai Arg Asp Tyr Ile Asn Arg Ser Pro Gly	,
1885 1890 1895	
net pee pee tot are one one	•
get ggg cet act gtg gtg can tot agt get ggt ggg agg act gga	5766
Ala Giy Pro Thr Vai Vai His Cys Ser Ala Giy Vai Gly Arg Thr Gly 1900 1905	
1930 1905 1910	
400 III 4II GCA 110 GAC CGA ARG GAG GAG	
acc tot att goa tog gad oga att ott dag dag toa gad tot aaa gad The Phe lie Ala Leu Asp Arg lie Leu Gin Gin Leu Asp Ser Lys Asp	5814
1816	•
1920 1925	
tot grg gad att tat gga gda grg dad gad dta aga dtt dad agg gtt	
Ser Val Asp Ile Tyr Gly Ala Val His Asp Leu Arg Leu His Arg Val	5862
1930 1935 1940	
1910	
can any gio cay act gag tgt cay tat gir tat cia cat cay tgt gta	
His Met Val Gin Thr Glu Cys Gin Tyr Val Tyr Leu His Gin Cys Val	5910
-343 1950	
1935 1960	
aga çat çir cir aga çra aça aaç cia cçç açi çaa caa çaa aac ccc	
Arg Asp Val Leu Arg Ala Arg Lys Leu Arg Ser Glu Gln Glu Asn Pro	5958
1965 1970 1975	
1973	
tig tit com att tat gam mat gig mat com gag tat cac agm gat com	6006
Leu Pne Pro Ile Tyr Glu Asn Val Asn Pro Glu Tyr His Arg Asp Pro	6006
1980 1985 1990	
27,0	
que tat tea agg cat tgagaatqta cotqaaqago tootqqataa aaattactca	6061
Val Tyr Ser Ary His	0001
1995	
Ciqiqiqati iqi:	6075
	6075

<210> 4 <211> 1997 <212> PRT <213> Homo sapiens

<400> 4

Het Leu Ser His Gly Ala Gly Leu Ala Leu Trp Ile Thr Leu Ser Leu 1 5 10 15

Ley Gin Thr Gly Leu Ala Giu Pro Giu Arg Cys Asn Phe Thr Leu Ala 20 25 30

Glu Ser Lys Ala Ser Ser His Ser Val Ser Ile Gln Trp Arg Ile Leu 35 40 45

Gly Ser Pro Cys Asn Phe Ser Leu Ile Tyr Ser Ser Asp Thr Leu Gly 50 55 60

Ala Ala Leu Cys Pro Thr Phe Arr IIe Asp Asn Thr Thr Tyr Gly Cys
65 70 75 80

Asn Leu Gin Asp Leu Gin Ala Giy Thr Ile Tyr Asn Phe Lys Ile Ile 85 90 95

Ser Leu Asp Glu Glu Arg Thr Val Val Leu Gln Thr Asp Pro Leu Pro 100 105 110

Pro Ala Arg Phe Gly Val Ser Lys Glu Lys Thr Thr Ser Thr Gly Leu 115 120 125

His Val Trp Trp Thr Pro Ser Ser Gly Lys Val Thr Ser Tyr Glu Val 130 135 140

Sin Leu Pne Asp Siu Asn Asn Gin Lys Ile Gin Gly Val Gin Ile Gin 145 150 155 160

Gil Ser Thr Ser Trp Asn Glu Tyr Thr Phe Phe Asn Leu Thr Ala Gly
165 170 175

Ser Lys Tyr Asm Ile Ala Ile Thr Ala Val Ser Gly Gly Lys Arg Ser 180 185 190

Phe Ser Val Tyr Thr Ash Gly Ser Thr Val Pro Ser Pro Val Lys Asp 195 205

lie Gly lie Ser Thr Lys Ala Ash Ser Leu Leu Ile Ser Trp Ser His 210 215 220

Gly Ser Gly Asn Val Glu Arg Tyr Arg Leu Met Leu Met Asp Lys Gly 230 235 240

- The Leu Val His Gly Gly Val Val Asp Lys His Ala Thr Ser Tyr Ala 245 250 255
- Phe His Gly Leu Ser Pro Gly Tyr Leu Tyr Asn Leu Thr Val Met Thr 260 265 270
- Glu-Ala Ala Gly Leu Gln Asn Tyr Arg Trp Lys Leu Val Arg Thr Ala 275 280 285
- Pro Met Glu Val Ser Asn Leu Lys Val Thr Asn Asp Gly Ser Leu Thr 290 295 300
- Ser Leu Lys Val Lys Trp Gln Arc Pro Pro Gly Asn Val Asp Ser Tyr 305 310 315 320
- Asn Ile Thr Leu Ser His Lys Gly Thr Ile Lys Glu Ser Arg Val Leu 325 330 335
- Ala Pro Trp Ile Thr Glu Thr His Pne Lys Glu Leu Val Pro Gly Arg 340 345 350
- Leu Tyr Gln Vai Thr Val Ser Cys Val Ser Gly Glu Leu Ser Ala Gln 355 360 365
- Lys Met Ala Val Gly Arg Thr Pne Pro Asp Lys Val Ala Asn Leu Glu 370 380
- Ala Asn Asn Asn Gly Arg Het Arg Ser Leu Val Val Ser Trp Ser Pro 385 390 395 400
- Pro Ala Gly Asp Trp Glu Gin Tyr Arg Ile Leu Leu Phe Asn Asp Ser 405 416 415
- Val Val Leu Leu Asn Ile Thr Val Gly Lys Glu Glu Thr Gln Tyr Val 420 425 430
- Met Asp Asp Thr Gly Leu Val Pro Gly Arg Gln Tyr Glu Val Glu Val 435 440 445
- Tie Val Glu Ser Gly Asn Leu Lys Asn Ser Glu Arg Cys Gln Gly Arg 450 455 460
- Thr Val Pro Leu Ala Val Leu Glm Leu Arg Val Lys His Ala Ash Glu 465 470 475 480
- The Ser Leu Ser lie Het Trp Glm The Pro Val Ala Glu Trp Glu Lys
  485 490 495

- Tyr Ile Ile Ser Leu Ala Asp Arg Asp Leu Leu Leu Ile His Lys Ser 500 505 510
- Leu Ser Lys Asp Ala Lys Glu Pne Thr Pne Thr Asp Leu Val Pro Gly 515 520 525
- Arg Lys Tyr Met Ala Thr Val Thr Ser Ile Ser Gly Asp Leu Lys Asn 530 535 540
- Ser Ser Ser Val Lys Gly Arg Thr Val Pro Ala Gln Val Thr Asp Leu 545 550 555 560
- His Val Ala Asn Gln Gly Met Thr Ser Ser Leu Phe Thr Asn Trp Thr 565 570 575
- Gin Ala Gin Gly Asp Val Giu Phe Tyr Gin Val Leu Leu Ile His Glu 58C 585 590
- Asn Val Val Tie Lys Asn Glu Ser Tie Ser Ser Glu Thr Ser Arg Tyr 595 600 605
- Ser Phe His Ser Leu Lys Ser Gly Ser Leu Tyr Ser Val Val Thr 610 620
- The Val Ser Gly Gly Ele Ser Ser Arg Gln Val Val Val Glu Gly Arg 625 630 635 640
- The Val Pro Ser Ser Val Ser Gly Val The Val Ash Ash Ser Gly Arg
  645 650 655
- Asn Asp Tyr Lel Ser Val Ser Trp Leu Val Ala Pro Gly Asp Val Asp 660 665 670
- Asr. Tyr Gil Val Thr Leu Ser His Asp Gly Lys Val Val Gln Ser Leu 675 680 685
- Val lie Ala Lys Ser Val Arg Gli Cys Ser Phe Ser Ser Leu Thr Pro 690 695 700
- Cly Arg Les Tyr Thr Val Thr lie Thr Thr Arg Ser Gly Lys Tyr Glu 705 710 715 720
- Asn His Ser Pne Ser Glm Glu Arg Tmr Val Pro Asp Lys Val Glm Gly 725 730 735
- Val Ser Val Ser Asn Ser Ala Arg Ser Asn Tyr Leu Arg Val Ser Trp
  740 745 750

- Val His Ala Thr Gly Asp Phe Asp His Tyr Glu Val Thr Ile Lys Asn 755 760 765
- Lys Asn Asn Phe Ile Gin Thr Lys Ser Ile Pro Lys Ser Glu Asn Glu 770 775 780
- Cys Val Phe Val Gln Leu Val Pro Gly Arg Leu Tyr Ser Val Thr Val 785 790 795 800
- The The Lys Ser Gly Gln Tyr Glu Ala Asn Glu Gln Gly Asn Gly Arg 805 810 815
- Thr Ile Pro Glu Pro Val Lys Asp Leu Thr Leu Arg Asn Arg Ser Thr 820 825 830
- Glu Asp Leu His Val Thr Trp Ser Gly Ala Asn Gly Asp Val Asp Gln 835 840 845
- Tyr Giu Ile Gln Leu Leu Phe Asn Asp Met Lys Val Phe Pro Pro Phe 850 855 860
- His Leu Val Asn Thr Ala Thr Glu Tyr Arg Phe Thr Ser Leu Thr Pro 865 870 875 880
- Gly Arg Gln Tyr Lys Ile Leu Val Leu Thr Ile Ser Gly Asp Val Gln 885 890 895
- Gin Ser Ala Phe Ile Glu Gly Phe Thr Val Pro Ser Ala Val Lys Asn 900 905 910
- Tie His Tie Ser Pro Asn Gly Ala Thr Asp Ser Leu Thr Val Asn Trp 915 920 925
- The Pro Gly Gly Gly Asp Val Asp Ser Tyr The Val Ser Ala Phe Arg 930 940
- his Ser Gln Lys Val Asp Ser Gln Thr IIe Pro Lys His Val Phe Glu 945 950 955 960
- His The Phe His Arg Leu Glu Ala Gly Glu Gln Tyr Gln Ile Met Ile 965 970 975
- Ala Ser Val Ser Gly Ser Leu Lys Asm Gim Ile Asm Val Val Gly Arg 980 985 990
- The Val Pro Ala Ser Val Gin Gi, Val Ile Ala Asp Ash Ala Tyr Ser 995 1000 1005

- Ser Tyr Ser Leu Il Val Ser Trp Gln Lys Ala Ala Gly Val Ala Glu 1010 1015 1020
- Arg Tyr Asp Ile Leu Leu Leu Thr Glu Asn Gly Ile Leu Leu Arg Asn 025 1030 1035 1040
- The Ser Glu Pro Ala Thr Thr Lys Gin His Lys Phe Glu Asp Leu Thr 1045 1050 1055
- Pro Gly Lys Lys Tyr Lys Ile Gin Ile Leu Thr Val Ser Gly Gly Leu 1060 1065 1070
- Phe Ser Lys Glu Ala Gin Thr Glu Gly Arg Thr Val Pro Ala Ala Val 1075 1080 1085
- Thr Asp Leu Arg Ile Thr Glu Asn Ser Thr Arg His Leu Ser Phe Arg 1090 1095 1100
- Trp Thr Ala Ser Glu Gly Glu Leu Ser Trp Tyr Asn Ile Phe Leu Tyr 105 1110 1115 1120
- Asn Pro Asp Gly Asn Leu Gln Glu Arg Ria Gln Val Asp Pro Leu Val 1125 1130 1135
- Gin Ser Phe Ser Phe Gin Asn Leu Leu Gin Gly Arg Met Tyr Lys Met 1140 1145 1150
- Val lie Val Thr His Ser Gly Glu Leu Ser Asn Glu Ser Phe Ile Phe 1155 1160 1165
- Sly Arg Thr Val Pro Ala Ser Val Ser His Leu Arg Gly Ser Asn Arg 1170 1180
- Ash The The Asp Ser Leu Trp Phe Ash Trp Ser Pro Ala Ser Gly Asp 185 1190 1195 1200
- Fine Asp Pine Tyr Glu Leu Ile Leu Tyr Ash Pro Ash Gly Thr Lys Lys 1205 1210 1215
- Gil Ash Trp Lys Asp Lys Asp Leu Thr Giu Trp Arg Phe Gin Gly Leu 1220 1231 1230
- Val Pro Gly Arm Lys Tyr Val Les Trp Val Val Thr His Ser Gly Asp 1235 1242 1245
- Let Ser Asn Lys Val Thr Ala Glu Ser Arg Thr Ala Pro Ser Pro Pro 1250 1255 1260

- Ser Leu Met Ser Phe Ala Asp Ile Ala Asn Thr Ser Leu Ala Ile Thr 265 1270 1275 1280
- Trp Lys Gly Pro Pro Asp Trp Thr Asp Tyr Asn Asp Phe Glu Leu Gln 1285 1290 1295
- Trp Leu Pro Arg Asp Ala Leu Thr Val Phe Ash Pro Tyr Ash Ash Arg 1300 1305 1310
- Lys Ser Glu Gly Arg Ile Val Tyr Gly Leu Arg Pro Gly Arg Ser Tyr 1315 1320 1325
- Gin Phe Asn Val Lys Thr Val Ser Gly Asp Ser Trp Lys Thr Tyr Ser 1330 1340
- Lys Pro Ile Phe Gly Ser Val Arg Thr Lys Pro Asp Lys Ile Gln Asn 345 1350 1355 1360
- Leu His Cys Arg Pro Gln Asn Ser Thr Ala Ile Ala Cys Ser Trp Ile 1365 1370 1375
- Pro Pro Asp Ser Asp Phe Asp Cly Tyr Ser Ile Glu Cys Arg Lys Met 1380 1385 1390
- Asp Thr Gln Glu Val Glu Phe Ser Arg Lys Leu Glu Lys Glu Lys Ser 1395 1400 1405
- Leu Lei Asm Ile Het Het Leu Val Pro His Lys Arg Tyr Leu Val Ser 1410 1415 1420
- Tie Lys Val Gim Ser Ala Gly Het Thr Ser Glu Val Val Glu Asp Ser 425 1430 1435 1440
- The lie The Met Ile Asp Arg Pro Pro Pro Pro Pro Pro His Ile Arg 1445 1450 1455
- Val Ash Glu Lys Asp Val Leu Ile Ser Lys Ser Ser Ile Ash Phe Thr 1460 1460 1470
- Val Asn Cys Ser Trp Phe Ser Asp Thr Ash Gly Ala Val Lys Tyr Phe 1475 1480 1485
- The Val Val Arg Glu Ala Asp Gly Ser Asp Glu Leu Lys Pro Glu 1495 1500
- Gin Gin His Pro Leu Pro Ser Tyr Leu Giu Tyr Arg His Asn Ala Ser 505 1510 1520

- Ile Arg Val Tyr Gln Thr Asn Tyr Ph Ala Ser Lys Cys Ala Glu Asn 1525 1530 1535
- Pro Asn Ser Asn Ser Lys Ser Phe Asn Ile Lys Leu Gly Ala Glu Het 1540 1545 1550
- GlusSer Leu Gly Gly Lys Arg Asp Pro Thr Gln Gln Lys Phe Cys Asp 1555 1560 1565
- Gly Pro Leu Lys Pro His Thr Ala Tyr Arg Ile Ser Ile Arg Ala Phe 1570 1575 1580
- Thr Gln Leu Pne Asp Glu Asp Leu Lys Glu Pne Thr Lys Pro Leu Tyr 585 1590 1595 1600
- Ser Asp Thr Phe Phe Ser Leu Pro Ile Thr Thr Glu Ser Glu Pro Leu 1605 1610 1615
- Phe Gly Ala Ile Glu Gly Val Ser Ala Gly Leu Phe Leu Ile Gly Met 1620 1625 1630
- Leu Val Ala Val Val Ala Leu Leu Ile Cys Arg Gln Lys Val Ser His 1635 1640 1645
- Gly Arg Glu Arg Pro Ser Ala Arg Leu Ser Ile Arg Arg Asp Arg Pro 1650 1655 1660
- Let Ser Val His Leu Asn Leu Gly Gln Lys Gly Asn Arg Lys Thr Ser 665 1670 1680
- Cys Pr: lie Lys Ile Asn Gin Phe Gl: Gly His Phe Het Lys Leu Gln 1685 1690 1695
- Ala Asp Ser Ash Tyr Leu Leu Ser Lys Glu Tyr Glu Glu Leu Lys Asp 1700 1705 1710
- Val Gly Arg Ash Gln Ser Cys Asp Ile Ala Leu Leu Pro Glu Ash Arg 1715 1720 1725
- Gly Lys Asn Arg Tyr Asn Asn Ile Leu Pro Tyr Asp Ala Thr Arg Val
- Lys Leu Ser Asn Val Asp Asp Asp Pro Cys Ser Asp Tyr Ile Asn Ala 745 1750 1755 1760
- Ser Tyr lie Pro Gly Asn Asn Pne Arg Arg Glu Tyr lie Val Thr Gln 1765 1770 1775

- Gly Pro Leu Pro Gly Thr Lys Asp Asp Phe Trp Lys Met Val Trp Glu 1780 1785 1790
- Gln Asn Val Ris Asn Ile Val Met Val Thr Gln Cys Val Glu Lys Gly 1795 1800 1805
- Arg Val Lys Cys Asp His Tyr Trp Pro Ala Asp Gln Asp Ser Leu Tyr 1810 1815 1820
- Tyr Gly Asp Leu Ile Leu Gln Het Leu Ser Glu Ser Val Leu Pro Glu 825 1830 1835 1840
- Trp Thr Ile Arg Glu Phe Lys Ile Cys Gly Glu Glu Gln Leu Asp Ala 1845 1850 1855
- His Arg Leu Ile Arg His Phe His Tyr Thr Val Trp Pro Asp His Gly 1860 1865 1870
- Val Pro Glu Thr Thr Gln Ser Leu Ile Gln Phe Val Arg Thr Val Arg 1875 1880 1885
- Asp Tyr Ile Asn Arg Ser Pro Gly Ala Gly Pro Thr Val Val His Cys 1890 1895 1900
- Ser Ala Gly Val Gly Arg Thr Gly Thr Phe Ile Ala Leu Asp Arg Ile 905 1910 1915 1920
- Leu Gin Gin Leu Asp Ser Lys Asp Ser Val Asp Ile Tyr Gly Ala Val 1925 1930 1935
- His Asp Leu Arg Leu His Arg Val His Met Val Gln Thr Glu Cys Gln 1940 1945 1950
- Tyr Val Tyr Leu His Gin Cys Val Arg Asp Val Leu Arg Ala Arg Lys 1955 1960 1965
- Leu Arg Ser Glu Glu Glu Asn Pro Leu Pne Pro Ile Tyr Glu Asn Val 1970 1975 1980
- Asn Pro Glu Tyr His Arg Asp Pro Val Tyr Ser Arg His 985 1990 1995

## INTERNATIONAL SEARCH REPORT

er Priori Office P.B. Sala Pu

To (2)1-701340-2040 To 31 851 804 80 F

. . 2/80 WY Ramon

----

1

PCT/EP 00/03613 A. CLASSIFICATION OF SUBJECT MATTER
1PC 7 C1201/42 A618 A61K38/46 A61K48/00 According to Intermissional Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED CLEANACARON SYSTEM ICHONOR DY CREAMACERON SYMPONE IPC 7 C120 A61K Documentation searched other than minimum documentation to the extent that auch documents are included in the heros searched Executant case base consumed curing the interresonal seaton traine of data base and, where proceeds, seaton terms used MEDLINE. EPO-Internal, CHEM ABS Data, BIOSIS, WPI Data, PAJ C. DOCUMENTS CONSIDERED TO BE RELEVANT Courgoy . | Creation of economics with indicates, whose econo Reserved to come high A HUANG L ET AL: "GRB2 and SH-PTP2: 1.4.6 potentially important endothelial signaling molecules downstream of the TEK/ TIE2 receptor tyrosine kinase.\* ONCOGENE. (1995 NOV 16) 11 (10) 2097-103... xP002117444 the whole document CA 2 085 291 A (MOUNT SINAI HOSPITAL CORP) 1.4.6 31 January 1994 (1994-01-31) the whole document **A**... WO 95 21866 A (LUDWIG INST CANCER RES 1,4,6 : RUNTING ANDREW STEWART (AU): WILKS ANDREW) 17 August 1995 (1995-08-17) the whole document -/--I X DOTE AND ASSESS OF ANNUAL cree to understand the principle or theory underlying the or promity date and not in confect with the appacation but the decument but into the confect with the appacation but المان همانية المانية ا Halles to transfer one of our ----computed in commonant may one or wone on council pe commonant to serone by breather F SYC) couponston pend covers to a bellion street ar for to provide the selection the a garage taxable a be too Date of making of the international search report 8 September 2000 19/09/2000 ANTONIO ORCH

Muñoz. M

## INTERNATIONAL SEARCH REPORT

PCT/EP 00/03613 C.(Communication) DOCUMENTS CONSIDERED TO BE RELEVANT WO 98 49317 A (PELES ELIOR :ONRUST SUSAN (NZ); CLARY DOUGLAS (US): HUI TERANCE H) 5 November 1998 (1998-11-05) examples A 1.4.6 US 5 709 858 A (GODOWSKI PAUL J ET AL) 20 January 1998 (1998-01-20) 1.4.6 examples

1

## INTERNATIONAL SEARCH REPORT

	enden.	information on potent tamily managers			PCT/EP 00/03613		
Patent document caed in search repor	1	Publication date		Patent larmey member(s)		Publication date	
CA 2085291		31-01-1994	US	56817	14 A	28-10-1997	
			US	59981	B7 A	07-12-1999	
WO 9521866	A	17-08-1995	AU	6892:	32 B	26-03-1998	
			AU	187459	95 A	29-08-1995	
			CA	218268	31 A	17-08-1995	
			EP	081233		17-12-1997	
•			JP	1050308		24-03-1998	
WO 9849317	A	05-11-1998	AU	726009	98 A	24-11-1998	
·		· · · · · · · · · · · · · · · · · · ·	EP	097928	38 A	16-02-2000	
US 5709858	A	20-01-1998	US	600162	21 A	14-12-1999	
			AT	16323	31 T	15-02-1998	
			AU	69714	12 B	01-10-1998	
			AU	118009	75 A	13-06-1995	
			AU	69897	75 B	12-11-1998	
			AU .	121089		13-06-1995	
•		,	CA	217589	2 A	01-06-1995	
			CA	217589	)3 A	01-06-1995	
			DE	6940854	1 D	19-03-1998	
			DE	6940854	1 T	06-08-1998	
			EP	073064	6 A	11-09-1996	
			EP	073074	0 A	11-09-1996	
•			ES	211606	6 T	01-07-1998	
			GR	302643	10 T	30-06-1998	
•			HK	100844		07-05-1999	
		•	JP	950625		24-06-1997	
			JP	950588		10-06-1997	
			MO	951477		01-06-1995	
•			MO	951493		01-06-1995	
		•	ÜŠ	576686		16-06-1998	
			US	602514		15-02-2000	
			US	591423		22-06-1999	
	.*	5	US	589165		06-04-1999	
			US	609652		01-08-2000	
	4		US	608714		11-07-2000	

Ė